



PENSONIC

Your Enjoyment

CATAL **20
23** GUE

• Audio • Visual • Home Appliances • Air Conditioner

BLENDER

PB-426

- 350W • 1.25L
- 220-240V ~ 50/60Hz
- Safety Lock
- 2 Speeds and Pulse Function
- Jug Cover with Stirrer



PB-3203

- 250W • 1L
- 220-240V ~ 50/60Hz
- Jug Cover with Stirrer
- Powerful Motor
- Mill Attachment with Safety Lock



PB-3203L

- 250W • 1L
- 220-240V ~ 50/60Hz
- Safety Switch
- Powerful Motor
- Jug Cover with Stirrer



PB-3205DJ

- 250W • 1L
- 220-240V ~ 50/60Hz
- Safety Switch
- Jug 1.0L (x2)
- Jug Cover with Stirrer



PB-3207M

- 350W • 1.5L
- 220-240V ~ 50/60Hz
- Safety Switch
- Mill Included
- 2 Speeds and Pulse Function



PB-3302

- 350W • 1L
- 220-240V ~ 50/60Hz
- Jug Cover with Feeder Hole
- 2 Speeds and Pulse Function
- Powerful Motor



PB-3302M

- 350W • 1L
- 220-240V ~ 50/60Hz
- Accessories: Mill Attachment
- 2 Speeds and Pulse Function



PB-3303

- 350W • 1L
- 220-240V ~ 50/60Hz
- Jug Cover with Feeder Hole
- 2 Speeds and Pulse Function
- Powerful Motor
- Safety Lock



PB-3303M

- 350W • 1L
- 220-240V ~ 50/60Hz
- Accessories: Mill Attachment
- 2 Speeds and Pulse Function
- Safety Lock



fitmi
by **Pensonic**

PERSONAL BLENDER

- 250W • 220-240V ~ 50/60Hz
- 2 X 600ml BPA Free Tritan Sports Bottle
- Stainless Steel Cutter Blades
- Safety Lock Protection
- Non Slip Grip Feet
- Leak Proof Travel Lid and Snap Hook
- Blends Fruits, Vegetables and Crushes Ice
- Ideal Choice for Travellers

Scan & Watch



PB-4003B



PB-4004V

FOOD PROCESSOR



PB-5001

- 500W • 2 Speeds with Pulse
- 1.8L Jug • 1.2L Food Processor Bowl
- Motor with Overheating Protection
- Double Safety Switch
- Multi-function: Blending / Chopping / Slicing / Grating / Emulsifying / Juicing
- Accessories: Slicing Blade, 2 Shredding Blades, Chopper, Kneading Blade, Emulsifying Disc, Citrus Juicer, Blender



Blender



Chopper



Citrus Juicer



Emulsifying Disc



Shredding Blade



Shredding Blade



Slicing Blade



Kneading Blade

TOASTER



AK-3N

- 2 Slices • 700W
- Auto Pop-up
- Crumb Tray
- Browning Control Knob



AK-4

- 4 Slices • 1200W
- Auto Pop-up
- Crumb Tray
- Browning Control Knob



PT-928

- 2 Slices • 750W
- Adjustable Browning Knob
- Crumb Tray for Easy Cleaning
- Cancel Function
- Extra-lift, Auto Safety Shut Off and Auto-centering Tray



PT-929

- 2 Slices • 750W
- Browning Control Knob
- Cancel Button
- Extra-lift, Auto Safety Shut Off and Auto-centering Tray

SANDWICH TOASTER



PST-9603(W)

- 4 Slices • Automatic Temperature Control



PST-9603(G)

Model	Power	Voltage	Frequency
PST-9603(G)	750W	220-240V	50-60Hz
PST-9603(W)	750W	220-240V	50-60Hz

FOOD CHOPPER




PB-6005GX

- 500W • 220-240V ~ 50/60Hz • 1L
- One Touch Chopping Function
- Easy Clean Transparent Glass Bowl
- Anti-Slip Base
- Plastic Body with Stainless Steel Decoration

FRESH & NUTRILICIOUS JUICES

Pensonic Mini Slow
Juicer PJ-7002



88mm big
mouth chute
saves
chopping time

Hassle free assembly,
removal, cleaning
and storage



High nutritional
value juices



Enjoy natural flavour
treats with ice-cream filter



JUICE EXTRACTOR



PJ-7001

- Powerful Pure Copper DC Motor: 200W
- Stainless Steel Housing
- Tritan BPA Free Auger with Two Cutting Blades
- Long, Continuous Working Time (10 minutes)
- Slow Speed Screw Type. RPM: 45 / Min
- Reverse Function to Prevent Blockage
- Safety Protection with Micro Switch
- Stainless Steel and Tritan Strainer with Small Holes for Fruits & Vegetables
- Frozen Treats Maker

PJ-7002

- 200W • 220-240V~50/60Hz
- DC Motor
- Big Mouth 88mm Chute
- Digital Panel • Speed 65 RPM
- Frozen Treats Maker • 15 Minutes Continuous Use



"Inspire your culinary creativity"

PBM-2000 BREAD MAKER

- 650W
- 19 Preset Programmes
- 3 Loaf Size Selection (1.0LB, 1.5LB, 2.0LB)
- 3 Adjustable Crust Settings (Light, Medium, Dark)
- 15 Minutes Power Interruption Backup System
- 15 Hours Programmable Delay-Start Timer
- Removable Non-stick Bowl for Easy Clean up
- Accessories : Measuring Cup, Spoon, Hook



KETTLE / JUG KETTLE

PAB-1715CS

- 1800-2150W
- 220-240V ~ 50/60Hz
- 1.7L • Cordless
- Double Wall Insulation with Cool Touch Exterior
- Seamless, Rounded Inner Tank For Easy Cleaning
- Concealed Heating Element
- SUS304 food grade material inner tankt



PAB-1718

- 1850-2200W
- 220-240V ~ 50/60Hz
- 1.7L • Cordless
- Auto Switch Off and Boil-Dry Protection
- Manual Lid Opening
- Water Level Indicator

PAB-1720C

- 1850-2200W
- 220-240V ~ 50/60Hz
- 1.7L • Cordless for Convenience
- Automatic Switch Off
- Double Sided Water Level Indicator
- Anti-Skid Feet and Cord Storage



ELECTRIC KETTLE



PAK-5002

- 2000W
- 220-240V ~ 50/60Hz
- 4.2L
- Concealed Heating Element
- Automatic Switch Off
- Boil-Dry Protection

COFFEE MAKER



PCM-1902

- 750W • 220-240V~50/60Hz
- Capacity 1.25L (10 cups)
- Anti-Drip Device
- Translucent Water Tank with Level Indicator
- Removable Filter Holder
- ON/OFF Switch with Indicator Light
- Warming Plate
- Measuring Spoon

WATER FILTER



PMP-15

- Filter Capacity: 48-71 Litres / Day
- Type of Purification: Ceramic Filtration
- Dim (mm): 660(H) x 315(W) x 315(D)

💧 Cartridge: PMP-15R1 / 15R2 / 15R3



PP-123

- Double Filtration System
- CTO Carbon Block
- 100% Coconut Shell Activated Carbon
- Removes Chlorine, Organic Chemicals, Unpleasant Odour and Colour
- Polypropylene Filter Provides Effective Filtration & Eliminates Certain Organic Toxins & Metals

💧 Cartridge: PP-123R1 / 123R2

CLASSIC

SERIES

PENSONIC

JUICER PJ-6900S



- 75mm Diameter Feeding Tube Available for Juicing
- Stainless Steel Housing and Blade Assembly
- Stainless Steel Filter Basket for Easy Cleaning
- Two Speeds
- Overheat Protector Powerful Motor
- Safety Lock Device
- Detachable Parts for Easy Cleaning
- Accessories: Cleaning Brush



SANDWICH TOASTER PST-9602S



- Cool Touch Housing
- Non-Stick Coating
- Durable Casing
- Skid-Resistant Feet
- Cord Storage

GLASS JUG KETTLE PAB-1721CG



- 1850-2200W
- 220-240V ~ 50/60Hz
- 1.7L
- Strix controller
- Manual Lid Opening
- Cover and Body with S/S Decoration Sheet
- Automatically Turns Off When Water Boils
- ON/OFF Switch with Indicator Light
- Glass with Borosilicate



FOOD STEAMER PSM-162S



- Indicator Light
- 12L Capacity
- With 1L Rice Bowl
- Stainless Steel Housing
- 60 Minutes Timer with Auto Shut Off & Chime
- Water Window with Side Water Refill
- 2 Big Capacity Steamer Container



THERMO FLASK



PTF-3001

- 750W • 3L
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-5001

- 750W • 5L
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-5003

- 750W • 5L
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-6000

- 730W • 6L
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-way Dispenser (Button / Cup)



PTF-200DX

- 750-892W • 2L
- Dispenser 2 Ways Boiling Mode: Drinking Water/Tap Water
- Preset 20s Auto Water Dispensing
- Simple Touch Control Panel
- 4 Preset Keep Warm Options (35/ 45/ 55/ 85°C) Or Customised (30-85°C)
- Borosilicate Glass Body, Easy to Check Water Level

WATER DISPENSER



PWD-200

- 700 - 800W
- Hot Water Capacity : 5.0 L
- Warm Water Capacity : 2.0L
- Anti-dry Boil Protection
- Cool-touch Body
- Auto Reboil & Keep Warm
- 24 Hours Standby Mode
- Stainless Steel Inner Pot
- Hot Water Capacity: 5L
- Warm Water Capacity: 2L
- Detachable Top Cover for Easy Cleaning
- Water Level Indicator with Night Light



PWD-700

- 680W
- Hot Water Capacity : 5.4L
- Warm Water Capacity : 1.6L
- Stopcock Button
- Water Level Indicator
- Auto Boil & Reboil Function
- Keep Warm Function
- Easy-to-use Operation Button
- Hot Water Capacity: 5.4L
- Warm Water Capacity: 1.6L



SLOW COOKER



PSC-101

- 1L • 100-120W
- Flower Design Casing
- With Indicator Light
- 3 Temperature Settings (Low, High, Auto)



PSC-301

- 3L • 215-255W
- Flower Design Casing
- With Indicator Light
- 3 Temperature Settings (Low, High, Auto)



PSC-501

- 5L • 290-345W
- Flower Design Casing
- With Indicator Light
- 3 Temperature Settings (Low, High, Auto)

PRESSURE COOKER

PPC-1809

- 6.0L • 1000W • 220-240V
- Analogue Electric Pressure Cooker
- Timer 45 Mins
- Top Cover Overheating Protection
- 1.5mm Inner Pot with Non-Stick Coating
- 0.75M Length Power Cord with BS Plug
- Bottom Sensor Temperature Control
- Painted Heating Plate
- High Strength Bridge Type Handle
- Improved Temperature Control to Meet European and American Cooking
- 7 levels of Safety Protection
- Menu: Steam, Rice, Porridge, Chicken/Soup, Multigrain, Meat/Stew, Beans/Chilli, Beef/Lamb
- 'Keep Warm' Function



FOOD STEAMER



PSM-1603

- 800W • 220-240V~50/60Hz
- Capacity 9.0L (3 Layers)
- 3 Steaming Containers
- 60 Minutes Timer with Auto Shut Off and Chime
- Transparent Water Level Indicator and Water Refill Window
- Indicator Light • Rice Bowl



PSM-1605

- 1600W • 220-240V
- Capacity 28L
- 2 Tiers to Prepare More Dishes
- 60 Minutes Timer
- Double Heaters
- Rice Steaming and Water Refill Containers
- Convenient Water Refill Funnel with Visible Water Level Indicator
- Multi-Function: Steaming and Cooking



Roast a whole chicken with sumptuous results



4 stainless steel heating elements heats evenly



Elegant black panel and housing



HEAVENLY BAKES & ROASTS

Pensonic Electric Oven 46L PEO-4611



OVEN

100L

PEO-1111



- 2700W
- Temperature Up to 230°C
- 120 Minutes Timer with Chime
- 6 Stainless Steel Heating Elements
- Black Panel & Casing
- Rotisserie and Convection
- Stainless Steel Control Panel
- Inner Light

25L

PEO-2511



- 1500W
- Temperature up to 230°C
- 60 Minutes Timer with Chime
- Stainless Steel Door Handle
- Single Glass Door
- 4 Stainless Steel Heating Elements

35L

PEO-3511

- 1500W
- 60 Minutes Timer with Chime

46L

PEO-4611

- 1800W
- 120 Minutes Timer with Chime



PEO-3511 / 4611

- Temperature Up to 230°C
- Automatic Shut Off
- Stainless Steel Door Handle
- 4 pieces Stainless Steel Heating Elements
- Rotisserie and Convection with Inner Light

70L

PEO-7011



- 2200W
- Temperature up to 230°C
- 120 Minutes Timer with Stay On and Bell Ring
- Stainless Steel Door Handle
- Single Glass Door
- 6 Stainless Steel Heating Elements

38L

PEO-3804

- 1500W

48L

PEO-4804

- 1800W

68L

PEO-6804

- 2200W

PEO-3804 / 4804 / 6804

- 60 Minutes Timer with Chime
- Adjustable Temperature Control
- Automatic Shut Off
- Heater and Function Selector for
 - Upper and Lower Heating with Convection
 - Lower Heating with Convection
 - Upper and Lower Heating
 - Upper Heating with Rotisserie
 - Upper and Lower Heating with Convection & Rotisserie
- Tray, Tray Handle, Rotisserie Fork & Crumb Tray Provided
- Toast, Grill and Bake • With Inner Light



MICROWAVE OVEN



20L



PMW-2004

- Painted Cavity
- Manual Control
- 6 Microwave Power Levels (Including Defrost)
- Cooking Completion Signal

OVEN TOASTER

9.0L



POT-921

- 950W-1150W
- 2 High Efficiency Quartz Elements
- Tray Provided
- Toast, Grill and Bake
- 60 Minutes Timer with Auto Shut Off and Chime

GAS COOKER

IGNITE YOUR CULINARY PASSION



Scan & Watch



PGC-2201G

- 90 / 90mm
- 6mm Tempered Glass
- For L.P.G Use
- Auto Ignition
- Rated Heat Input:
Left: 3kW Right: 3.5kW



NO MORE CLOGGED BURNERS!

Uniquely designed, hidden oblique burner holes ensure burner holes stay clear longer compared to ordinary stoves.



ENVIRONMENTALLY FRIENDLY COOKING

Has higher heat efficiency to save energy and 60% lower carbon emissions than international standards requirements.



FOCUSED, POWERFUL FLAMES

Strong, 25 degree tangential whirlwind like flames deliver even and precise heat for best cooking results.

PGC-3201G

- 120 / 120mm
- Stainless Steel Body
- Auto Ignition
- Rated Heat Input:
Left: 3kW Right: 3.5kW



PGC-5602S

- 105 / 105mm
- Stainless Steel Housing
- Auto Piezo Ignition
- Rated Heat Input:
Left: 4.4kW Right: 4.4kW



DOUBLE BURNER GAS COOKER



PGC-26N

- 100 / 100mm
- Epoxy Coated Body
- Auto Ignition
- Rated Heat Input:
Left: 3.2kW Right: 3.2kW



PGC-27N

- 100 / 100mm
- Epoxy Coated Body
- Durable Trivet
- Rated Heat Input:
Left: 3.2kW Right: 3.2kW



PGC-28S

- 100 / 100mm
- Stainless Steel Body
- Durable Trivet
- Rated Heat Input:
Left: 3.2kW Right: 3.2kW



COMMERCIAL STOVE

PGS-31C

- Dual Ring
- Automatic Ignition
- For L.P.G. Use
- G.W.: 6.10 kgs
- N.W.: 5.50 kgs
- Size: 540 x 310 x 150(mm)




PGS-41C

- Dual Ring
- Automatic Ignition
- For L.P.G. Use
- G.W.: 7.70kgs
- N.W.: 7.00kgs
- Size: 600 x 345 x 150(mm)




BUILT-IN HOB




PGH-422N

- 2 Burners with Tempered Glass Top
- Rated Heat Input: 7.2kW
- Battery Operated Auto Ignition System
- Inner Dim. (mm): 630 x 345
- Durable Trivet



PGH-424G

- High Quality Tempered Glass
- Rated Heat Input: 10kW (728g/h)
- Battery Operation Ignition
- Actual Product Size: [780(L) x 480(W) x 163(H)]mm
- Battery Operated Auto Ignition System
- Burner Head: (120 x 120)mm



PGH-425G

- High Quality Tempered Glass
- Rated Heat Input: 11.4kW (830g/h)
- Center Burner Enamel Cap
- Right & Left Stainless Steel Burner Caps
- Actual Product Size: [860(L) x 500(W) x 160(H)]mm
- Burner Head: (120 x 70 x 120)mm



PORTABLE GAS STOVE

PPG-2004N

- Die-Cast Aluminium Alloy Burner
- Die-Cast Aluminium Alloy Burner
- Black Plastic Case Provided
- Dimension: [335(L) x 280 (W) x 111(H)] mm
- Single Burner Portable Gas Stove



SINGLE BURNER GAS COOKER

PGC-1001S

- 100mm
- Stainless Steel Body
- Durable Trivet
- Rated Heat Input: 3.2kW



HAND MIXER

PM-117 (B)/ PM-117 (P)

- 300W • 220-240V ~ 50/60Hz
- 5 Speeds for Different Mixing Needs
- Eject Button to Remove Beater and Dough Hook
- Heat Emmission Outlet
- With Beaters and Dough Hooks



PM-117 (B)

PM-117 (P)

STAND MIXER



PM-214

- 200W • 220-240V ~ 50/60Hz
- 5 Speeds with Pulse for All Mixing Needs
- Positive Beater Lock
- Swivel Bowl for Even Mixing and Turbo Function
- New Transmission Structure
- Bowl Capacity: Recommended 2.0L, Max 3.0

BUILT-IN COOKER HOOD



PCH-809S

- Power: 218W • 220-240V~50/60Hz
- 3 Speeds Sensor Touch Control
- Air Flow: 1400m³/h
- Stainless Steel and Tempered Glass Panel
- Product Dimensions: [900(L) x 410(W) x 650(H)]mm




PCH-810S

- Power: 218W • 220-240V~50/60Hz
- 3 Speeds Sensor Touch Control
- Air Flow: 1400m³/h
- Stainless Steel Filter with Oil Cup
- Product Dimensions: [900(L) x 430(W) x 550(H)]mm




BUILT-IN GAS HOB




PGH-619S

- Stainless Steel • Safety Valve
- 110mm x 120mm Burner Head
- Rated Heat Input: 7.7kW (560g/h)
- Cut-piece Stainless Steel Cap
- Auto Battery Operated Ignition
- Cast Iron Trivet • For L.P.G. Use
- Product Dimensions: 720 x 410 (mm)



PGH-620G

- High Quality Tempered Glass
- (120 x 120)mm Burner Head
- Rated Heat Input: 10kW (728g/h)
- 2 Burners with FFD
- Flexible Base Support
- Stainless Steel Burner Caps
- Bakelite Knob • For L.P.G. Use
- Product Dimensions: [780(L) x 480(W) x 143(H)]mm



PGH-621G

- High Quality Tempered Glass
- (120 x 70 x 120)mm Burner Head
- Rated Heat Input: 11.4kW (830g/h)
- 3 Burners With FFD
- Flexible Base Support
- Right & Left Stainless Steel Burner Caps
- Battery Operation Ignition
- For L.P.G. Use
- Product Dimensions: [860(L) x 500(W) x 140(H)]mm

PENSONIC
Your Enjoyment



FUEL YOUR PASSION

EXPLORE A VARIETY OF STYLES,
SIMPLIFY TASKS AND
SPARK CREATIVITY WITH PENSONIC.

AIR FRYER OVEN | PDF-1100DX



AIR FRYER



PDF-2202

- 1500W
- Capacity 3.5L
- 30 Minutes Timer with Alarm and Indicator
- Adjustable Temperature
- Adjustable Thermostat
- Removable Non-Stick Inner Pot.
- Cool Touch Housing



PDF-1100DX

- 1500W
- Capacity 10.0L
- Digital Control Panel with LED Display
- Temperature 60°-200°C
- 8 Preset Programs (French Fry, Pizza, Roast, Steak, Fish, Dehydrate, Poultry, Cake, Reheat)
- 60 Minutes Timer with Chime
- Hot Air Fryer, Rotisserie, Grill, Oven, Dehydrator

STEAMBOAT



PSB-128S

- 1600W • 3.8L
- See-through Glass Lid
- Adjustable Temperature Control
- Short Heat-up Time
- Removable Stainless Steel Pot for Easy Cleaning & Storage



PSB-131G

- 1900W • 2.6L
- Dimension 370mm
- Detachable Thermo-controller
- Rapid & Even Heating
- Heat Insulation & Convenient Handle
- Non-stick Coating Die-cast Plate
- BBQ Grill & Hot Pot

MULTI GRILL BBQ & STEAMBOAT



PSB-136G

- 1600W • 2.6L
- Multifunction: Grill, Boil, Fry, Roast, Cook, Stew
- Grill Plate and Hot Pot For A Variety Of Cooking
- Power Switch with Two Control Knobs
- Detachable Plate and Pot for Easy
- 100ml Detachable Slide Out Oil Collection Tray
- Non-Stick Grill Pan with 2 Layers Perfluorooctanoic Acid Free Surface
- Plate Size (230 x 450)MM
- Grill Pan Size (275 x 235)MM, Thickness 25MM
- Hot Pot Size (240 x 180 x 60)MM
- Tempered Glass Hot Pot Lid

CERAMIC COOKER

PCC-2200D

- 2200W
- Knob and Touch Control
- Slim Body with Aluminium Alloy Base
- Power and Temperature Adjustable
- Boost Function
- Memory Function
- Portable with Handles
- Multi Cooking Menu: Boil, Stir fry, Soup, BBQ, Hot Pot
- Accessories: Grill Rack, BBQ Pan with Oil Collector

Scan & Watch



INDUCTION COOKER

PIC-2008

- 2000W
- Easy Touch Operating Controls
- LED Display Control Panel
- Cool Touch Cooking Surface with Child Lock
- Timer 0 - 180 Min
- Adjustable Overheating Protection
- Environment Friendly, Flameless & Smokeless
- Accessories: Stainless Steel Cooking Pot
- Weight 2.15kg

MULTI COOKER



PMC-1302/1502

- Adjustable Temperature Control
- Stewing, Steaming, Stir frying, Deep Frying

Model	Power	Capacity	Weight (kg)
PMC-1302	1300W	3.5L	3.0
PMC-1502	1500W	5.0L	3.6

MULTI COOKER WITH STEAMER

PMC-1302S

- 1300W
- 220-240V~50/60Hz
- Capacity 3.5L
- Boil-Dry Protection
- Easy to Control Rotary Switch
- Removable Non-Stick Inner Pot
- Adjustable Temperature Control
- Tempered Glass Lid for Easy Viewing of Cooking Progress
- Overheating Protection
- Stewing, Steaming, Stir frying, Deep Frying
- Size [315(L) x 315(W) x 250(H)]mm



PMC-1303GSX

- 1000W
- 220-240V~50/60Hz
- Capacity 3.0L
- Adjustable Temperature Control for Different Types of Cooking
- Braising, Stir Frying, Steamboat, Grilling, Steaming, Stewing
- Non-Stick Coating Grill Plate and Cooking Pot
- Detachable Design for Easy Clean Up
- Size [300(L) x 240(W) x 150(H)]mm



PMC-1702

- 1800W
- 220-240V~50/60Hz
- Capacity 7.0L
- Easy Control Rotary Switch
- Detachable Aluminum Inner Pot
- Non-Stick 730g Aluminum Inner Pot
- Tempered Glass Lid
- Size [384(L) x 300(W) x 387(H)]mm

RICE COOKER



PRC-602S/1002S/1802S/2802S/3602

- Aluminum Inner Pot
- Aluminum Steamer Tray
- Stainless Steel Lid

Model	Wattage	Capacity	Voltage	Frequency	Aluminium Inner Pot	Aluminium Steamer Tray
PRC-602S	300W	0.6L	220-240V	50/60Hz	•	•
PRC-1002S	400W	1.0L	220-240V	50/60Hz	•	•
PRC-1802S	700W	1.8L	220-240V	50/60Hz	•	•
PRC-2802S	1000W	2.8L	220-240V	50/60Hz	•	•
PRC-3602	1300W	3.6L	220-240V	50/60Hz	•	

PRC-6E / 11E / 15E / 18E / 28E

- Keep Warm Function
- See-through Glass Lid
- Built-in Thermal Fuse



Model	Wattage	Capacity	Persons	Star Rating (CSPF)	Non-stick Inner Pot	Aluminium Inner Pot
PRC-6E	300W	0.6L	1-2	4	•	
PRC-11E	400W	1.0L	3-4	4	•	
PRC-15E	500W	1.5L	5-6	3	•	
PRC-18E	700W	1.8L	7-8	3	•	
PRC-28E	1000W	2.8L	9-12	4		•

JAR RICE COOKER



PSR-1807

- 700W
- 1.8L
- 220-240V~50/60Hz
- Non-Stick Inner Pot for Easy Cleaning
- 'Keep Warm' Function
- Functions: Cook, Keep Warm
- Dew Collector
- Spray Paint Housing

PSR-1802/2802

- Keep Warm Function
- Dew Collector
- Spray Paint Housing



Model	Wattage	Capacity	Persons	Non-stick Inner Pot	Aluminium Inner Pot
PSR-1802	700W	1.8L	5-8	•	
PSR-2802	1000W	2.8L	9-12	•	

COMMERCIAL RICE COOKER

PGR-8100/8200

- L.P.G gas
- Dew Collector
- Spray Paint Housing



Model	Power	Capacity	Gas Pressure	Aluminium Inner Pot Weight
PGR-8100	8.17KW	10L	2.8kpa	3.9kg (3.5mm thickness)
PGR-8200	11KW	20L	2.8kpa	5.1kg (4.5mm thickness)

PENSONIC
Batik
Series

A TRIBUTE TO

CULTURAL HERITAGE



- ◆ Attractive Design Statement
- ◆ Pays Homage To Malaysia's Rich History
- ◆ Wide Range Of Home Appliances
- ◆ Suitable For Commercial Or Home Environments

◆ **PAB-1712CS
JUG KETTLE**

- 1850-2200W • 1.7L
- Water Level Indicator
- Anti-Slip feet & Cord Storage
- Boil-Dry & Overheat Protection
- Concealed Stainless Steel Heating Element
- 360°C Swivel Base & Automatic Switch Off

◆ **PB-802
BLENDER**

- 250W • 1L
- Powerful Motor
- Stainless Steel Blade
- Dual Safety Lock
- Mill Attachment
- 2 Speed with Pulse & Stirrer

◆ **PCM-1903
COFFEE MAKER**

- 900W • 1.25L (10 cups)
- Anti-Drip Device
- Removable Funnel
- With Permanent Nylon Filter
- Water Tank with Level Indicator
- ON / OFF Switch with Light Indicator
- Keep Warm Warming Plate
- With Anti-Slip Feet
- Accessory: Measuring Spoon

◆ **PEO-2304B
OVEN**

- 1500W • 23L
- 60 Minutes Timer with Chime
- Adjustable Temperature Control
- Automatic Shut Off
- Function Selector for Lower, Upper & Both Heater
- Toast, Grill and Bake

◆ **PIC-2003B
INDUCTION COOKER**

- 2000W
- White Glass with Batik Printing
- Plastic Body
- LED Display and Timer
- Touch Control • Soup Pot
- Electronic Overheating Protection

◆ **PJ-300B
JUICE EXTRACTOR**

- 400W
- Capacity: Juice Container 450ml, Pulp Container 1200ml
- 2 Speeds
- Transparent lid
- Double Safety Lock
- Stainless Steel Filter and Blades
- Juice and Pulp Container
- Anti-Slip Rubber Feet
- Size [249(L) x 196(W) x 297(H)]mm

◆ **PSR-1801
RICE COOKER**

- 700W • 1.8L
- 5-8 Persons
- Keep Warm Function
- Non-Stick Inner Pot
- Cool-Touch Housing
- With Dew Collector
- Detachable Power Cord
- Accessories: Steaming Tray, Rice Scoop, Measuring Cup

◆ **PT-930
TOASTER**

- 800W
- Auto-Centering Function
- 7 Levels Adjustable Browning Control
- With Cancel, Reheat & Defrost Functions
- Removable Crumb Tray for Easy Cleaning
- Cord Storage



FUSS FREE **BREEZY** LUXURY

*Longer distance
air circulation*



*Sturdy base,
solid and stable build*

*Constant, comfortable
wind speed*



*Easy to dismantle,
clean and fix again*



**Penonic
Stand Fan
PSF-1801**



**Penonic
Table Fan
PF-1801**



TABLE FAN



AF-30B

- 35W • 12" (300mm)
- 3 Speeds
- Motor with Safety Fuse



PF-41A

- 50W • 16" (40cm)
- 3 Speeds
- Motor with Safety Fuse



PF-41B

- 50W • 16" (400mm)
- 3 Speeds
- Motor with Safety Fuse



PF-1801

- 65W • 18" (450mm)
- 3 Speeds
- Air Delivery 75m³/min



PF-3103B

- 45W • 12" (30cm)
- 3 Speeds
- 4 Painted Metal Blades

CIRCULATION FAN



PF-50902

- 45W • 9"
- 3 Speeds Control with Fixed Angle / Auto Oscillation
- Manually Adjustable 90° Vertical Air Flow
- 70° Horizontal Auto Oscillation
- Motor with Safety Fuse

STAND FAN



PSF-45B

- 50W • 3 Speeds
- 16" (40cm)
- Transparent Fan Blades
- Motor with Safety Fuse
- Adjustable Height



PSF-1801

- 65W • 3 Speeds
- 18" (46cm)
- Motor with Safety Fuse



PSF-4505GY

- 50W • 3 Speeds
- 16" (400mm)
- Adjustable Height
- Motor with Safety Fuse
- Air Delivery 50m³/Min



PSF-4506X

- 40W • 3 Speeds
- 16" (400mm)
- Air Delivery 45m³/min
- Rotary Switch
- Motor with Safety Fuse
- Adjustable Height



PSF-4507

- 40W • 3 Speeds
- 16" (400mm)
- 3 Blades 135g (AS Material, Translucent Black)

STAND FAN



PSF-4508

- 40W • 3 Speeds
- 16" (400mm)
- 3 Speeds, Rotary Switch
- Air Delivery : 45m³/min
- Motor with Safety Fuse



PSF-4603B

- 60W • 3 Speeds
- 16" (400mm)
- Wide Angle Automatic Swing
- Motor with Safety Fuse
- Heavy Base for Stability
- Adjustment Height
- Energy Saving
- 4 Metal Blades
- Spider Fan Guard

CEILING FAN



PCF-6000

- 72W • 60" (1500mm)
- Pure Copper Motor
- 5 Speeds Regulator Control
- Safety Wire for Maximum Safety Protection
- Motor with Safety Thermal Fuse Protection



PCF-6001B

- 72W • 60" (1500mm)
- Black Color
- Pure Copper Motor
- 5 Speeds Regulator Control
- Safety Wire for Maximum Safety Protection
- Motor with Safety Thermal Fuse Protection

WALL FAN



PWF-48

- 50W
- 16" (400mm)
- 3 Speeds
- Motor with Safety Fuse



PWF-4801R

- 50W • 16" (400mm) • 3 Speeds
- With Remote Control
- Random / Sleep Mode / Timer / Rhythm / Speed
- Motor with Safety Fuse

INDUSTRIAL FAN



PFF-1800

- 18" • 115W
- 4 Speeds Rotary Control
- 3 Metal Blades for Maximum Air Flow • With Swing Function
- Motor with Built-in Thermal Protection

WIFI ENABLED

PENSONIC SMART PORTABLE AIR COOLER

Let's chill! Enjoy greater cooling convenience with WiFi enabled Pensonic Smart Portable Air Cooler's automated scheduling using Tough App.



20L

20L fixed, large capacity water tank



Can be remotely controlled using Tough App.



WiFi enabled with adjustable louvre directions



PAC-304IW

- 130W • Timer 0 - 9H
- WiFi Enabled
- Water Level Indicator
- 3 Speeds
- Auto Horizontal Swing
- Manual Vertical Swing
- 4 Castors
- Touch Control & LED Panel
- Air Flow Capacity : 3000m³/h
- Fixed Water Tank Capacity 20L



PENSONIC SMART APPLIANCE

Powered by iDodge

AIR COOLER

PAC-104M

- 65W
- 3 Fan Speeds (1 / 2 / 3)
- Horizontal Auto-swing & Manually Adjustable Vertical Air Flow
- Excellent Cyclic Sprinkling Water Pump System for Optimum Humidity, Cool & Fresh Air
- 2 Ice-packs for Cooler Effect
- With Honeycomb Filter, Dust-proof Filter & 7L Water Tank

7L WATER TANK



PAC-105M

- 65W
- 3 Fan Speeds (1 / 2 / 3)
- Horizontal Auto-swing & Manually Adjustable Vertical Air Flow
- With Honeycomb Filter, Dust-proof Filter & 7L Water Tank
- Excellent Cyclic Sprinkling Water Pump System for Optimum Humidity, Cool & Fresh Air
- 2 Ice-packs for Cooler Effect



TOWER FAN



PTW-181

- 50W
- Height 36"
- 3-speed
- Oscillating Head

NOOK & CREVICES EXPERT

Pensonic Handheld Vacuum Cleaner PVC-1000H

Multi cyclone filtration system with HEPA filter

Variety of attachments for different areas

Ideal for quick tidying ups

Dust container is simple to remove and empty



VACUUM CLEANER



PVC-211

- 1200W • 32L
- Strong Blowing Function
- Washable Filter
- Dry / Wet / Blow Vacuum Cleaner
- Durable Plastic Blow Tank
- Powerful Suction for Waste Water



PVC-1000H

- 550W • 500ml
- Suction Power 15Kpa
- Dust Capacity 500ml
- Aluminium Telescopic Tube
- Plastic-Plated Floor Brush
- Accessories: Telescopic Tube, Floor Brush, Dusting Brush, Crevice Tool, Wall Mount



PVC-1003H

- 600W • 500ml
- 2 in 1 Stick and Hand Held Vacuum Cleaner
- Suction Power >14KPa
- Noise < 85dB
- Metal Screen + HEPA Filter Prevent Secondary Pollution
- Optimized Straight Wind Track to Reach Dust Container Directly
- Light Weight, Ergonomic Design



PVC-2201C

- 1200W • 1.8L
- Pedal Switch and Auto-Rewinding Wire
- 360° Turnable and Flexible Hose
- Powerful Suction
- 4 Layers Filtration System: Cyclone Filter, Inlet Sponge Filter, Inlet Ultrasonic Cotton Filter, Outlet Sponge Filter

INSECT KILLER



PIK-22

- 15W
- Safe & Natural Way to Trap Mosquitoes
- Chemical Free - Non Poisonous & Odourless
- Quiet & Reliable DC Fan - Low Power Consumption
- Built-in Funnel to Prevent Mosquito Escape
- Dumet UV Light with Reliable / Stable Wave Length
- Effective Area: 60M²

aQua
de Splash

Experience Sheer
Showering Pleasure
Pensonic Aqua Series Hot Water Shower

**ROBUST
REFRESHING
SHOWERS**

10 YEARS
ANTI LEAK TANK
WARRANTY

5 YEARS
HEATING ELEMENT
WARRANTY

1 YEAR
GENERAL
WARRANTY

PWH-968SP

- With DC Silent Pump • Mesh Filter
- Double Safety Protection
- 5 Spray Patterns Handshower
- Variable Temperature Control
- Suitable for High & Low Water Pressure
- 3-in-1 Stop Valve
- Splash Proof Protection



PWH-968E



- Mesh Filter
- Double Safety Protection
- 5 Spray Patterns Handshower
- Variable Temperature Control
- 3-in-1 Stop Valve • Suitable for High & Low Water Pressure
- Splash Proof Protection

PWH-M981E



- Mini
- Mesh Filter
- Double Safety Protection
- 5 Spray Pattern Handshower
- Variable Temperature Control
- 3-in-1 Stop Valve • Suitable for High & Low Water Pressure
- Splash Proof Protection

**MULTI
SPRAY
HAND SHOWER**



LUSTROUS & BEAUTIFULLY *Styled*

- Ceramic Tourmaline for Shinier, Less Fizzy Finish
- Preserves Natural Hair Moisture
- Heats Up Quickly and Evenly
- Reduces Hotspots Leading to Damaged Hair



PENSONIC HAIR DRYER | PHD-1803DI

• 1600-1800W • 220-240V • DC Motor • Ionic Function • 3 Temperature Levels • Rotary Air Control Switch

HAIR DRYER




PHD-1203F

- 1200W • 220-240V~50/60Hz
- 3 Heat Settings (Cool, Warm and Hot)
- Detachable Concentrator
- Powerful Centrifugal Six-Leaf with Low Noise Motor
- Hang Up Hook for Convenience & Storage
- Balanced Heating Technology Distributes Smooth and Gentle Heat



PHD-1804D

- 1600-1800W • 220-240V
- DC Motor
- Cool Shot Function
- 2 Temperature Levels
- Overheating Protection



PSW/PCU-1027

MODEL	PSW/PCU-1027		
Chassis Type	800AX(φ7*1)+ 660C(φ5*1)		
Control Type	Cooling Only		
Rated Cooling Capacity	Remote	Bit/h	9000
EER for Cooling		W/W	3.20
Star Rating (CSPF)			3
Moisture Removal		Liters/h	0.8
Indoor Noise Level At Cooling	High	dB(A)	39
	Medium	dB(A)	36
	Low	dB(A)	33
Outdoor Noise Level		dB(A)	50
Electrical Data	220-240V~/50Hz/1P		
Power Supply			198-242
Voltage Range	V		
Rated Current	A		3.6
Rated Input	W		770
Max Current	A		5.6
Max Input	W		1030
Refrigerating System			
Refrigerant/Charge		Gram	R32/340g
Compressor	Type		Rotary
	Model		39X183GJ75#MA
	MFG		RECHI
Evaporator			Single-Arranged
Indoor Coil	A. Number of Rows		1
	B. Tube Pitch(a)x Row Pitch(b)	mm	21X12.7
	C. Fin Spacing	mm	1.3
	D. Fin Type (Code)		Hydrophilic
	E. Tube Outside Dia. and Type	mm	Ø7 Inn. Grv.
	F. Coil Length x Height x Width	mm	607*294*25.4
	G. Number of Circuits		2
Condenser			single-arranged
Outdoor Coil	A. Number of Rows		1
	B. Tube Pitch(a)x Row Pitch(b)		19.5X11.6
	C. Fin Spacing		1.2
	D. Fin Type (Code)		Slit Fin
	E. Tube Outside Dia. and Type		Ø5 Inn. Grv.
	F. Coil Length x Height x Width		702*468*11.6
	G. Number of Circuits		1

MODEL	PSW/PCU-1027		
Indoor Air Circulation	Cooling/Heating	m ³ /h	640
Indoor Fan Type			Cross Flow
Indoor Fan Speed H/M/L	Cooling	rpm	1200/1050/950/850/730
	Dry	rpm	850
	Sleep	rpm	850
Indoor Fan Motor Output		W	20
Outdoor Fan Type			Propeller
Outdoor Fan Speed		rpm	860
Outdoor Fan Motor Output		W	25 (BROAD OCEAN)
Connections			
Refrigerant Coupling			
Connecting Pipe	Gas	Inches	3/8"
	Liquid	Inches	1/4"
Connecting Wiring	Size x Core Number		1.0x3
Suitable Area		m ²	9-16
Net Dimensions (W x H x D)	Indoor	mm	811*292*203 (AX)
	Outdoor	mm	777*290*498 (with Valve)
Net Weight	Indoor	kg	8.5
	Outdoor	kg	23
Packing Dimensions (W x H x D)	Indoor	mm	885*366*275 (AX)
	Outdoor	mm	818*325*520
Gross Weight	Indoor	kg	10.5
	Outdoor	kg	26/27 (with Pipe)



Timer



LED Display



Dehumidifying



"Turbo" Button

PENSONIC

SMART PORTABLE

AIR CONDITIONER WITH WIFI

Relish Greater Automation Flexibility
With The Refreshingly Cool WiFi
Enabled Pensonic Smart Portable
Air Conditioner.



Portable Air Conditioner Specification Sheet

MODEL		PPA-1011W	PPA-1511W
Cooling Capacity	Btu / h	9000	12000
Power Sources	V / Hz	220-240 / 50	
Cooling	Rated Input Power	W	1100
	Rated Input Current	A	5.0
Air Flow Volume	m ³ / h	350	360
Dehumidifying Volume	l / h	0.9	1.2
Energy Efficiency Ratio (EER)	W / W	2.5	2.4
Motor Output	W	65	90
Fan Type	-	Centrifugal	
Evaporator	-	Aluminum Fin-Copper Tube	
Climate Type	-	T1	T1
Isolation	-	I	I
Sound Pressure Level	dB(A) / H / M / L	55/-/50	56/54/52
Unit Dimensions	W x H x D (mm)	325 x 295 x 702	443 x 830 x 340
Dimensions of Package	W x H x D (mm)	381 x 356 x 885	480 x 880 x 435
Net Weight	Kg	24.4	28
Gross Weight	Kg	28.4	33
Compressor	Type	Rotary	
Refrigerant Charge	Kg	R410A / 410g	R410A / 565g
Dehumidifier		√	√
Timer		√	√
Vertical Auto Swing		-	√
Air Flow		√	√
Memory Function		√	√
Dry Anti-mildew Design		-	-
Auto Fan		-	-
Self Diagnosis		-	-
LED Display		√	√
WiFi Enabled		√	√
Remote Control		√	√



Panasonic Chest Freezer 142L PFZ-153

QUICKCOOLING FRESHER LONGER



Storage basket, ice maker and scoop provided



Adjustable thermostat and dual cooling option



Balanced hinge design



Compact and space-efficient

FREEZER



PFZ-113



PFZ-153/ PFZ-203



PFZ-302



PFZ-402 / PFZ-502



PFZ-408G

MODEL	PFZ-113	PFZ-153	PFZ-203	PFZ-302	PFZ-402	PFZ-502	PFZ-408G
Capacity	99L	142L	199L	300L	400L	500L	400L
Gross Weight	22kg	26kg	36kg	44kg	53kg	70kg	61kg
Max & Min Cooling Temperature	-12°C to -26°C	-12°C to -26°C	-12°C to -26°C	-12°C to -26°C	-12°C to -26°C	-12°C to -26°C	-12°C to -26°C
Corrosion Resistant Cabinet	✓	✓	✓	✓	✓	✓	✓
Concealed High Efficiency Compressor	✓	✓	✓	✓	✓	✓	✓
Low Energy Consumption	✓	✓	✓	✓	✓	✓	✓
Space Saving	✓	✓	✓	✓	✓	✓	✓
Ext. Dim (mm)	498W x 879H x 572L	577W x 879H x 664L	556W x 879H x 854L	735W x 839H x 1055L	730W x 839H x 1363L	730W x 839H x 1650L	675W x 780H x 1361L



Adjustable Thermostat



Low Energy Consumption



Corrosion Resistant Cabinet



Modern & Stylish Design



Concealed High Efficiency Compressor

REFRIGERATOR



PMF-661

- Freezer Temp: -1°C to 1°C
- Refrigerator Temp: 0°C to 10°C
- Capacity: 45L • Power: 50W
- Net Weight 16.5kg
- Low Energy Consumption

ULTRA FRESH, OPTIMISED WASHING

Pensonic Fully Auto Washing
Machine 7Kg PWA-7018



Selection of 10 wash programmes and 8 water levels



Fuzzy logic with load balancing detection



Memory of power interruption and auto power off



Wash as desired with 0-24 hours delay start



WASHING MACHINE



PWS-6004/ 9004/ 1104/ 1404

- Semi-Automatic
- Rust Free Plastic Body
- Anti-Pet and Rodent Design

Model	Weight	Wash Power	Voltage	Frequency
PWS-1104	11kg	400W	220-240V	50/60Hz
PWS-1404	14kg	400W	220-240V	50/60Hz
PWS-6004	6kg	320W	220-240V	50/60Hz
PWS-9004	9kg	370W	220-240V	50/60Hz

PENSonic
LESS MOISTURE



Tempered Glass Lid



EXTRA CARE, LONGER CLOTHES LIFE

Embossed Diamond Drum Reduces Harmful Effects of Washing and Lengthens The Life Span of Clothes.



BETTER LOAD CONTROL

Add Clothes At Any Time During The Wash Cycle. If You Want To, You Can Use The Wash and Spin Cycle At The Same Time.



RUST FREE, ANTI-PET DESIGN

Plastic, Metal Free Body and Anti-Pet Design Helps to Maintain Body of Washing Machine in Excellent Condition, Thus Ensuring Longer Life.



THE GREENER CHOICE

Continuous Water Supply is Not Required in A Semi-Automatic Machine, Making This Product A Greener Choice As Less Water is Used.

- Semi-Automatic
- Rust Free Plastic Body
- Water inlet selection

Model	Weight	Wash Power	Voltage
PWS-1005G	10kg	410W	220-240V
PWS-1205G	12kg	450/200W	220-240V

PWS-7007

- Semi-Automatic
- Lint Filter
- Air Dry
- Transparent Cover
- Water Inlet Selection
- Spin Dryer Safety Function
- Spinning Stops Automatically When Lid is Opened
- Power Wash: 300W
- Weight: 7KG
- [730(L) x 420(W) x 860(H)]MM



PENSonic
LESS MOISTURE



PWA-7018

- 10 Wash Programmes
- LED Display, Adjustable Feet, Stainless Steel Tub
- Accessories: Magic Hose joint, Water Inlet Hose, Bottom Cover, Screws
- 0-24 Hours Delay Start
- Error Alarm
- 8 Water Levels
- Power Wash: 320W
- Weight: 7KG
- [545(L) x 555(W) x 895(H)]MM



5-YEARS
2-YEARS
PC BOARD WARRANTY

STEAM / SPRAY IRON

PSI-1005

- 1890W-2250W
- Capacity : 280ml
- Variable Steam Control
- Self-Clean Function
- Adjustable Temperature Control Knob for All Kinds of Textiles
- 3-in-1 Function: Steam, Spray & Dry
- Non-stick Teflon Coating Soleplate
- Translucent Water Level Indicator
- Indicator Light



Non-stick
Soleplate

Spray
Function

Steam/
Spray & Dry
Function

PSI-1006

- 1800W-2200W
- Variable Steam Control
- Self-Clean Function
- Adjustable Temperature Control Knob for All Kinds of Textiles
- 3-in-1 Function: Steam, Spray & Dry
- Non-stick Teflon Coating Soleplate
- Translucent Water Level Indicator
- Indicator Light
- Variable Steam Control



Spray
Function



Steam/
Spray & Dry
Function



Variable
Steam
Control

PSI-8902

- 1200W-1430W
- Spray Function
- Indicator Light
- Adjustable Temperature Control Knob
- Non-stick Coating Soleplate
- Variable Temperature Control



Non-stick
Soleplate



Spray
Function



Variable
Temperature
Control

DRY IRON



PI-500

- 1200W
- 1.8 kg
- Adjustable Temperature Control Knob for All Kinds of Textiles
- Indicator Light



Non-Slick
Soleplate

PI-600

- 1200W
- 1.8 kg
- Adjustable Temperature Control Knob for All Kinds of Textiles
- Non-stick Teflon Coating
- Indicator Light



Non-Slick
Soleplate

PI-8502

- 1200-1430W
- Adjustable Temperature Control Knob
- Non-stick Coating Soleplate
- Variable Temperature Control
- Indicator Light

GAS REGULATOR



For LPG Use Only

PLPG-1000

- Zinc Base & Aluminium Cover with POM Control Lever
- Max Inlet Pressure 6 Bar
- Outlet Pressure of 28 mbar for LPG Use
- Flow Rate of 1.5kgs/h
- 20mm Inlet Size, 10mm Outlet Nozzle



For LPG Use Only

PLPG-1001H

- Zinc Base & Aluminium Cover with POM Control Lever
- Max Inlet Pressure 6 Bar
- Outlet Pressure 28 mbar for LPG Use
- Flow Rate of 1.5kgs/h
- With Hose
- 20mm Inlet Size, 10mm Outlet Nozzle

BLENDER ACCESSORIES



JC-3203

- 1L • Stainless Steel Blade
- For Model: PB-3203, PB-3203L, PB-3205, PB-3205DJ, PB-3205L, PB-3206, PB-3301



MS-3310

- Stainless Steel Blade Cutter
 - Small Capacity Grinding
- For Model: PB-3203, PB-3203L, PB-3205, PB-3205DJ, PB-3205L, PB-3206, PB-3301

VACUUM CLEANER BAG



PVB-03PM

- 1 pack consists of 4 pcs
- For Model: PVC-22B,31A,25A

FAN BLADE



FB-12N

- 12"

FB-16N

- 16"

- Fan Blade

WATER FILTER CARTRIDGE

PP-123R1 CARBON BLOCK



- 5.0 Micron Filtration for Reduction of Cryptosporidium & Giardia (VOCS)
- Polishing Filter for Excellent Drinking Water
- Class 1 Chlorine, Taste & Odour Reduction

For Model: PP-123

PP-123R2 SEDIMENT FILTER



- Polypropylene Replacement Cartridge
- For Removal of Sand, Silt, Dirt & Rust
- Maximum Housing Temperature: 125°F (52°C)
- Water Flow : 20 Litre per Minute

For Model: PP-123



PMP-15R3 4-STEP FILTRATION SYSTEM

- Step 1 : Activated Carbons Remove Chlorine, THMs Organic Chemicals & Unpleasant Odours & Colours
- Step 2 : Silica Sand Removes Acidic Components from the Water
- Step 3 : Zeolite Removes Heavy Metals
- Step 4 : Mineral Sand Release Minerals & Adjust pH of Water to Mild Alkaline

For Model: PMP-15

PMP-15R1 MINERAL STONES



- Enriches Essential Mineral Contents, Oxygen in the Water
- Controls Water pH to Mild Alkaline
- Keeps Water Fresh & Active

For Model: PMP-15

PMP-15R2 CERAMIC DOME



- Micron Size: 0.9-0.5 Micron
- Filtration that Blocks Sediment Particles such as Dirt, Rust, & also Bacteria

For Model: PMP-15



PP-123R COMBO SEDIMENT FILTER

- 5.0 Micron Filtration for Reduction of Cryptosporidium & Giardia (VOCS)
- Polishing Filter for Excellent Drinking Water

For Model: PP-123

PORTABLE GAS CARTRIDGE



PCG-1

- Capacity: 230g
- Cylinder Gas for Portable Gas Cooker
- Lasts Up to 3 Hours

For Model: 2004N



ALL BRANDS ONE APP



Download & Register Circlez App For Exclusive Members Only Deals
DOWNLOAD NOW!



Online Warranty • Rewards • Estore • Product Status Updates

PENSONIC SALES & SERVICE CENTRES (MALAYSIA)

PENANG HEAD OFFICE, SHOWROOM

1165, Lorong Perindustrian Bukit Minyak 16,
Taman Perindustrian Bukit Minyak,
14100 Simpang Ampat, Penang, Malaysia.

PJ SHOWROOM & CUSTOMER CARE CENTRE

Lot 11A, Jalan 223 Sec 51A, 46100
Petaling Jaya, Selangor Darul Ehsan.

Showroom

Tel : 603- 7954 5200

Customer Care Centre

Tel : 1800- 881- 770

PENANG

143- 145, Perak Rd., 10150 Penang.
Tel : 604- 226 9923 / 050

JOHOR BAHRU

31, Jalan Ros Merah Satu/1,
Taman Johor Jaya, 81100
Johor Bahru, Johor.

SABAH

Lot 4, Towering Industrial Centre,
88300 Penampang, Kota Kinabalu, Sabah.
Tel. Fax: 6088- 715 519 / 715 730

KOTA BHARU

PT-621 Ground Floor,
Batu 2 Jalan Pengkalan Chepa,
15400 Kota Bharu, Kelantan.

LABUAN

SU11T/SL05, Wisma Wong
Wo Lo, 87000 Labuan.

PN 7884, Jalan OKK,
Awang Besar, W.P Labuan,
87000 Labuan.



Please Call

1-800-881-770

call this number for any enquiries

For Prompt After-Sales Service (For Malaysia Only)

* Operation Hours: Mon - Fri 8:30am - 5:45pm / Sat, Sun & Public Holiday Closed

PENSONIC SALES & SERVICE SDN. BHD. (199401014746/300426-P)

PENSONIC SALES & SERVICE CENTRES (WORLD WIDE)

CHINA

5F, Block 10, XiangZhou Technology
Industrial District Meihua Xi Road, No.
2372 XiangZhou Zhuhai City, 519000,
Guangdong, China
Tel: 0756- 852 5933

CHINA

Room No. 802, 8th Floor of Rongshan
Postal Building, No.6 Rongqi Dadao,
Ronggui Street, Shunde, Foshan,
Guangdong Province, China
Tel: 852- 2290 2280

INDONESIA

JL. Jembatan III Barat, Blok E Kav.
No. 8 Kelurahan Penjaringan,
Kecamatan Penjaringan Jakarta
Utara 14440, Indonesia.
Tel: 621- 2267 4720

VIETNAM

No 59-61 Nguyen Thi Thap Street,
Him Lam Area, Tan Phong Ward,
District 7 Ho Chi Minh City, Vietnam.
Tel. Fax: 848- 3945 3483 / 3945 3482

LEBANON

Verdun-Bekaa Str-Zahraa Bldg-3 Fir,
P.O.Box 155150 Beirut-Lebanon.
Tel. Fax: 961- 1817 681 / 1318 152

HONG KONG

No.2, 14th Floor, Keen Hung Commercial
Building, 80 Queen's Road East,
Wan Chai, Hong Kong.
Tel. Fax: 852- 2727 0997 / 2758 5088

BRUNEI

No D1, Spg 396, Jin Jerudong,
Bangunan Perkasa 1, Kampung
Sengkurong B, Bg 1321,
Brunei Darussalam
Tel. Fax: 673- 2611 918 / 2610 801

EGYPT

Usama Shahin St of Saad Zagloul St.,
El Bar Elsharkey Shiban El Korn Menofia,
POB 32514, Egypt.
Tel. Fax: 201- 0009 3033

FIJI

Centerpoint 1, Ratu Dovi Road,
GPO Box 14416 Suva Fiji
Tel. Fax: 679- 339 3111 / 334 0255

SINGAPORE

2 Leng Kee Road, #06-03 Thye Hong
Centre Singapore 159086
Tel. Fax: 65- 6472 6504 / 6475 9534

MYANMAR

No. 15, (6) Ward, Waizayandar Road,
South Okkalapa Township,
Yangon, Myanmar.
Tel: 95- 9750114898

PHILIPPINES

HEAD OFFICE
165 Quirino Avenue Baesa, Quezon City
Manila Philippines 1115

Service Center

#606 Evangelista St G Puyat St Quiapo Manila
Tel: 733-28-51 / (02) 7357691 / (02) 7332840

TIMOR LESTE

Avenida De Presidente Nicolau Lobato,
Bidau, Lécidre, Nain Feto Dili, Timor Leste
Tel: 670- 331278

SEYCHELLES

P.O.Box 1371, Victoria, Mahe, Seychelles.
Tel. Fax: 248- 323 680 / 324 724

MAURITIUS

12, Corderie Street, Port Louis, Mauritius.
Tel: 230- 2121563