

PENSONIC
Your Enjoyment

Catalogue
2014



• Home appliances • Audio • Visual • Air Conditioner

PROFILE *of* EXCELLENCE



1965:
Establishment of Keat Radio & Electrical Co. in Balik Pulau, Penang by founder **Dato' Sri Chew Weng Khak**.

1974:
1st branch was set up in line with its business expansion.

1976:
Ventured into import, export and distribution of electrical home appliances.

1977:
Incorporation into a private limited company, **Keat Radio Sdn. Bhd.**

1982:
Pensonic Sales & Service Sdn. Bhd. was established as it imported audio and visual products under the brand '**Pensonic**', symbolizing the '**Sound of Penang**'.



1984:
Registration of Pensonic trademark in Malaysia and eventual registration in over 20 countries.



1994:
Incorporation of **Pensonic Holdings Berhad**.

1995:
Successful listing on the Second Board of Bursa Malaysia.

1999:
Accorded the **ISO 9002** accreditation.

2002:

- Upgraded to **ISO 9001 - 2000** accreditation.
- Pensonic Table Fan PF-42 won the **2002 Energy Efficiency & Best Price Fan 2002** from Tenaga Nasional Berhad and Ministry of Energy, Communications and Multimedia.
- Involvement in Own Brand Manufacturing (OBM) and Own Design Manufacturing (ODM). Under its multi-brand business model, it owns **LEBENSSTIL KOLLEKTION** of Germany and holds the sole-distributorship in Malaysia for **PRINCESS** of Holland.

2002:

- The first Malaysian brand to be awarded the Brand Promotion Grant (for export market) and logo "**MADE IN MALAYSIA FOR THE WORLD**".

2004:

- Awarded the **NATIONAL CREATIVITY & INNOVATION AWARD** by the Malaysia Design Technology Centre for outstanding brand building.
- Pensonic Blender PB-501 was recognised as the **Malaysia Good Design Mark** by the Malaysia Design Council.

2005:
Launch of Pensonic's new logo and '**12 Pensonic Friends**' campaign.

2006:
• Launch of '**Pensonic Friends Season 2**' campaign.

- Acquisition of Amtex Marketing Services Sdn. Bhd. and Amtex Marketing Services Pte. Ltd., which owns **CORNELL** of USA and obtained the sole-distributorship in Malaysia for internationally acclaimed brands like **GE APPLIANCES** of USE and **MORPHY RICHARDS** of the UK.



2007:

- Awarded the **Brand Excellence Award 2007** by Ministry of International Trade and Industry.
- Launch of '**Pensonic Friends Season 3**' campaign.

- Pensonic launched the new '**25 Friends of Pensonic**' campaign featuring 25 successful Malaysian icons to celebrate Pensonic's 25th anniversary.

2008:

• Pensonic established its business presence in 27 countries worldwide.

• Recipient of **Brand Excellence Award** by The Ministry of International Trade & Industry.

• Launch of "Pensonic, Your Friend, Your Enjoyment" campaign.



2009:

• The **Best Electronic Goods TVCS 2008** by Marketing Magazine.
• Recipient of **Brand Excellence Award** by The Ministry of International Trade & Industry 2008.

2010:

• The **Putra Brand Awards 2010.**

• Participate in the NKEA labs organized by PEMANDU to plan out the National Economic Transformation Program.



2010:

Recipient of **Brand Excellence Award** by The Ministry of International Trade & Industry 2010.



4 PRESTIGIOUS AWARDS in 2011

Putra Brand Awards

Special Mention Award in Personal Household & Outdoor Appliances by MATRADE.

Best Brands

In Consumer in Electrical Home Appliances by The Brand Laureate Awards.

Honorary Award

by Young Entrepreneur's Association of Malaysia.

Brand Excellence Award (Merchandise)

Industry Excellence Awards by MITI.





Industry Excellence Award

Certificate of Excellence by MITI.

2012:
Pensonic's 30th Anniversary Celebration @ Mid Valley Mega Mall.

2012

The Most Promising Brand of the Year by Putra Brand Awards.



CONTENTS

CLASSIC SERIES	37
LIGHTING	32 - 36
AUDIO VISUAL	29 - 31
REFRIGERATION	27 - 28
BEAUTY CARE	24 - 26
LAUNDRY HELPMATE	21 - 23
HOME COMFORT	16 - 20
KITCHEN APPLIANCES	04 - 15



KITCHEN APPLIANCES

FOOD & DRINKS **01**

Nutri de Blender



PNB-1

- Jug 2.0L • 38,000rpm • 3 hp
- Japanese Stainless Steel Blade
- Powerful Motor • LED Display
- PCB Function Control with 6 Functions & 8 Modes
- Suitable For: Vegetable, Soy Milk, Sauce, Smoothie, Cream Soup, Nuts



Easy to use

Smart One Touch Pre-set functional buttons to process vegetable, soy milk, sauce, smoothie, soup & nuts, especially convenient for baby food processing.

Patented heavy-duty stainless steel blade from Japan

Best performance to ensure freshness of food.

High Nutrition

With high speed motor of 38,000rpm, all phytonutrient of fruits and vegetables can be well blended and fully absorbed by our bodies.

Patented and high quality polycarbonate jug

It is able to sustain high temperature, easy to use, easy to clean and hygienic.

Dual safety protection motor

Equipped with an upgraded design that allows overheat and displacement shut off.



PB-3103

- 1.0L
- 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Mill Attachment
- Safety Switch



PB-3203

- 1.0L
- 250W
- 1-Speed
- Stainless Steel Blade
- Mill Attachment
- Safety Switch
- With Stirrer



PB-3203L

- 1.0L
- 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Safety Switch



PB-3205

- 1.0L
- 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Mill Attachment
- Safety Switch



PB-3205DJ

- 1.0L
- 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Mill Attachment
- Extra Jug 1.0L
- Safety Switch



PB-3206

- 1.0L
- 250W
- 1-Speed
- Stainless Steel Blade
- With Stirrer
- Mill Attachment
- Safety Switch



PB-3301

- 1.0L
- 250W
- 2-Speed With Pulse
- Stainless Steel Blade
- With Stirrer
- Mill Attachment
- Safety Switch



PB-510

- 1.5L
- 400W
- 2-Speed With Pulse
- Stainless Steel Blade
- With Safety Lock
- Jug Cover With Stopper Hole
- Mill Attachment



PapaBlend is the first blender cum grinder with 8 razor-sharp stainless steel blades that blend your fruits and vegetables to texture that can be easily absorbed by your body, maximizing nutrition and taste from juiced fruits, vegetables, grains and grasses.

"I'm always searching for the best for my family. I care for their health more than anyone else. With PapaBlend, I provide the best nutrition for them by blending all kinds of fruits, vegetables, grains to perfection. Not only have we shared our delicate juice together, the spectacular Aqua Orbitube is indeed a joy to behold and aesthetically pleasing to stare at. We truly love our blending moment...."

Peter Davis
Actor / Model / Mixed Martial Artist



PNB-2

- Jug 1.5L • 300W
- Eight-cutter Blades With Grinder for Finer Juice Processing
- Convenient Juice Dispensing With Faucet Spout Feature
- Circular Grinding Provides More Delicate and Exquisite Juice Enjoyment
- Maximize Nutrition and Taste From Juices Fruits, Vegetables, Grains and Grasses
- Fruits, Vegetables, Sauce, Smoothies, Nuts, Grains, etc.



PB-2001

- 1.5L • 250W
- 2-Speed With Pulse
- Stainless Steel Blade
- Mill Attachment • With Filter
- Multi-function: Blender/ Grinder/ Chopper/ Slicer/ Juice Extractor



PB-4000

- 800ml
- 350W
- 1-Speed
- Stainless Steel Blade
- Multi-function: Blender/ Grinder/ Chopper/ Juice Extractor

JUICE EXTRACTOR



PJ-37

- 400W
- 2-Speed
- Safety Switch
- With Fruit Tray
- With Juice & Pulp Container
- Double Safety Lock



PJ-57

- 300W
- 1-Speed
- Stainless Steel Filter
- Safety Switch

JUG KETTLE / KETTLE



PAB-110C

- 1.0L
- 1850-2200W
- Cordless
- Auto Switch Off
- Original UK Strix Control
- Illuminated On/Off Switch
- Extra Filter



PAB-1700

- 1.8L
- 2000W
- Auto Switch Off
- Boil-dry and Overheat Protection
- Concealed Stainless Steel Heating Element
- Removable & Washable Filter
- Safety Locking Lid & Cord Storage



PAB-170CS

- 1.7L
- 1850-2200W
- Auto Switch Off
- Cordless
- Stainless Steel Body
- Original UK Strix Control
- Illuminated On/Off Switch
- Water Level Indicator



PAB-170N

- 1.7L
- 1850-2200W
- Cordless
- Auto Switch Off
- Original UK Strix Control



PAB-171C

- 1.7L
- 1850-2200W
- Cordless
- Auto Switch Off
- Original UK Strix Control
- Built-In Thermal Fuse
- With Dual Water Level Indicator
- Illuminated On/Off Switch
- Extra Filter



PAB-176C

- 1.7L
- 1850-2200W
- Cordless
- Auto Switch Off
- Original UK Strix Control
- Built-In Thermal Fuse
- With Dual Water Level Indicator
- Illuminated On/Off Switch
- Extra Filter



PAB-177C

- 1.8L
- 1850-2200W
- Auto Switch Off
- Original UK Strix Control
- Concealed Stainless Steel Heating Element
- Removable & Washable Filter
- Safety Locking Lid & Cord Storage



PAB-19

- 1.8L
- 1850-2200W
- Auto Switch Off
- Original UK Strix Control
- Illuminated On/Off Switch
- Built-In Thermal Fuse
- Water Level Indicator



PAK-24N

- 4.8L
- 2400W
- Auto Switch Off
- Original UK Strix Control
- Cool Touch Base
- Built-In Thermal Fuse
- High Grade Polished Stainless Steel Body



PAK-27N

- 4.2L
- 2200W
- Auto Switch Off
- Boil-dry Protection
- Cool Touch Base
- UK Strix Control
- High Grade Polished Stainless Steel Body

PURE WATER SYSTEM



PFS-6

- Remove & Reduce Dirt, Solids & Harmful Bacteria
- Mild Alkaline Water Helps to Adjust pH Balance of Body Fluids
- Better Water Absorption & Enrich the Oxygen Content of Water
- Removal of Chlorine, Odour & Enhance the Water Quality
- Cartridge : PFS-6R2 / 6R1 / 6R2 / 6R3 / 6R6



PCM-1900

- 800W
- 1.2L (10 cups)
- Warming Plate For Keep Warm
- Removable Filter Holder
- On/Off Switch With Indicator Light
- With Measuring Spoon
- Anti-drip Device
- Translucent Water Tank With Level Indicator



PCM-193

- 720-850W
- 1.2L (10 cups)
- Warming Plate
- Removable Filter
- On/Off Switch With Light
- With Measuring Spoon
- Anti-drip Device
- Water Level Indicator

WATER DISPENSER



PWD-200

- 800W
- Anti Dry Boil Protection
- Cool-touch Body
- Detachable Top Cover for Easy Cleaning
- Water Level Indicator with Night Light
- Auto Reboil & Keep Warm
- 24 Hours Standby Mode
- Stainless Steel Inner Pot
- Hot Water Capacity: 5L
- Warm Water Capacity: 2L



PWD-700

- 680W
- Stopcock Button
- Water Level Indicator
- Auto Boil & Reboil Function
- Keep Warm Function
- Easy-to-use Operation Button
- Hot Water Capacity: 4.8L
- Warm Water Capacity: 2.2L

THERMO POT



PMK-1400

- 1.4L
- Cordless With 360° Swivel Base
- Cool-touch Body
- Boil-dry Protection
- Concealed Stainless Steel Heating Element
- Manual Keep Warm Function
- Water Level Gauge With Night Light
- Detachable Lid for Easy Cleaning



PET-4000L

- 4.0L
- One Touch Auto Dispenser
- Full Cup Freshly-boiled Water Within 45secs.
- With Stop Button
- Variable Volume
- Child-lock
- Integrated Drip Tray
- Consistent & Smooth Water Delivery
- Stylish Blue Light Indicator

THERMOFLASK



PTF-30B

- 3.0L
- 750W
- Manual Dispenser Lock
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Lock / Unlock Safety Feature
- 3-ways Dispenser



PTF-500A

- 5.0L
- 750W
- Auto Reboil
- Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-ways Dispenser (button / Cup)



PTF-500C

- 5.0L
- 730W
- Manual Dispenser Lock
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Lock / Unlock Safety Feature
- 3-ways Dispenser



PTF-53A

- 5.0L
- 730W
- Manual Dispenser Lock
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Lock / Unlock Safety Feature
- 3-ways Dispenser



PTF-54A

- 5.0L
- 730W
- Manual Dispenser Lock
- Auto Reboil / Keep Warm
- 360° Swivel Base
- Stainless Steel Inner Pot
- Lock / Unlock Safety Feature
- 3-ways Dispenser



PTF-600A

- 6.0L
- 750W
- Auto Reboil
- Keep Warm
- 360° Swivel Base
- Water Level Gauge
- Stainless Steel Inner Pot
- 2-ways Dispenser (button / Cup)

WATER FILTER



PMP-15

- Container Capacity: 15 Liter
- Filter Capacity: 48-71 Liter/day
- type of Purification: Ceramic Filtration
- Dim (mm): 660(H) x 315(W) x 315(D)

Cartridge:
PMP-15R1 / 15R2 / 15R3



PMP-15R1 MINERAL STONES

- Enrich Essential Mineral Contents, Oxygen in the Water
- Control Water pH to Mild Alkaline
- Keep Water Fresh & Active



PMP-15R2 CERAMIC DOME

- Micron Size: 0.9 - 0.5 Micron
- Filtration that Block Sediment Particles such as Dirt, Rust and also Bacteria



PMP-15R3 4-STEP FILTRATION SYSTEM

- Step 1: Activated Carbons Remove Chlorine, THMs Organic Chemicals, Unpleasant Odours & Colours
- Step 2: Silica Sand Removes Acidic Components from the Water
- Step 3: Zeolite Removes Heavy Metals
- Step 4: Mineral Sand Release Minerals & Adjust pH of Water to Mild Alkaline



PP-123

- Double Filtration System
- CTO Carbon Block
- 100% Coconut Shell Activated Carbon
- Remove Chlorine, Organic Chemical, Unpleasant Odour and Colour
- Polypropylene Filter Provides Effective Filtration & Eliminates some Organic Toxin & Metals

Cartridge: PP-123R1 / 123R2



PP-123R1 CARBON BLOCK

- 5.0 Micron Filtration for Reduction of Cryptosporidium and Giardia (VOCS)
- Excellent Drinking Water of Polishing Filter
- Class 1 Chlorine, Taste & Odour Reduction



PP-123R2 SEDIMENT FILTER

- Polypropylene Replacement Cartridge
- For Removal of Sand, Silt, Dirt & Rust
- Maximum Housing Temperature: 125°F (52°C)
- Water Flow: 20 Litre per Minute

STEAMBOAT



PSB-128S

- 3.8L
- 1600W
- See-through Glass Lid
- Adjustable Temperature Control
- Short Heat-up Time
- Removable Stainless Steel Pot for Easy Cleaning & Storage

CONVECTION OVEN



PRO-910

- 1200W-1400W
- Capacity: 12L (without extender ring) +5L (with extender ring)
- Easy Operation with Timer and Temperature Control
- Cook Evenly
- Preserving Nutrients & Flavour of Food
- 3 to 5 Times Faster
- Functions: Roast, Bake, Toast, Grill & Broil

DISH DRYER



PDD-10

Timer (mins): 30, 60, 90 & 120

PDD-11

Timer (mins): 30, 60, 90, 120, 150 & 180

- 180-214W
- Capacity for 6-persons
- Additional Fork & Spoon Rack
- High Efficiency Heating Plate with Even Warm Air Distribution
- Convenient Design Cover with Wide Opening Angle
- Removable Dish Tray & Water Collector for Easy Cleaning
- Low Energy Consumption

TOASTER



AK-3N

- 2 Slices
- 700W
- Auto Pop-up
- Crumb Tray
- Browning Control Knob



AK-4

- 4 Slices
- 1200W
- Auto Pop-up
- Crumb Tray
- Browning Control Knob



PT-928

- 2 Slices
- 680W-820W
- Wide Slots (30mm)
- Browning Control Knob
- Removable Crumb Tray for Easy Cleaning
- Cancel Button
- Extra-lift, Auto Safety Shut-off and Auto-centering Tray



PT-929

- 2 Slices
- 750W
- Wide Slots (30mm)
- Browning Control Knob
- Removable Crumb Tray for Easy Cleaning
- Cancel Button
- Extra-lift, Auto Safety Shut-off and Auto-centering Tray



PST-960

- 750W
- Durable Casing
- Non-stick Coating
- Cool-touch Housing
- With Indicator Light
- Stand Upright for Easy Storage

SANDWICH TOASTER

HAND / STAND MIXER



PM-112

- 120W
- 5-Speed for All Mixing Needs
- Positive Beater Lock
- Light Weight for Comfort Handling



PM-163

- 120W
- 5-Speed for All Mixing Needs
- Positive Beater Lock
- Light Weight for Comfort Handling

INDUCTION COOKER



PIC-20

- 2000W
- LCD Display Control Panel
- Ceramic Glass Cook Top
- Child Lock
- 3 Preset Function: Soup, Rice, Milk
- Intelligent Micro-computer Control with Touch Sensor
- Cool-touch Cooking Surface
- With Stainless Steel Soup Pot
- 4 Adjustable Functions: Stir Fry, Hot Pot/ Steamboat, Keep Warm & Power

MULTI COOKER



PMC-138

- 3.8L
- Adjustable Temperature Control
- Removable Non-stick Inner Pot
- With Tempered Glass Lid
- Steamboat, Deep Fry, Stew



PMC-150

- 5.0L
- Adjustable Temperature Control
- Removable Non-stick Inner Pot
- With Tempered Glass Lid
- Steamboat, Deep Fry, Stew



PMC-138S

- 3.8L
- Removable Non-stick Inner Pot
- With Tempered Glass Lid & Steam Tray
- Stewing, Steaming, Stir Frying, Deep Frying

TABLE GRILL



PTG-10

- 1500W-1800W
- Large Cooking Surface
- Non-stick Cooking Plate With Ribbed For Grilling & Flat Surface For Stir-fry
- Adjustable Temperature Control
- Convenient Designed Tempered Glass Lid As Wind Guard Or Oil Shield
- Cool-touch Housing

MICROWAVE OVEN



PMW-202M

- 20L
- Input Power: 1100-1150W
- Output Power: 650-700W
- Painted Cavity
- Manual Control
- Cooking End Signal
- 6 Microwave Power Levels (Including Defrost)
- Cooking Timer: 0-35 Minutes
- Glass Turntable Diameter: 255mm



PMW-280MD

- 28L
- With Lock Function & Defrost Setting
- Rated Input Power: 1450W
- Rated Output Power: 900W
- Rated Input Power (Grill): 1100W
- Digital Joy Wheel Control with Grill Function
- Mirror Design with Pull Handle Door
- Cooking Timer: 0-95 Minutes
- 8 Auto-cook Program
- Glass Turntable Diameter: 315mm

OVEN TOASTER



POT-901

- 11.5L
- 950W-1150W
- 30-minutes Timer With Automatic Shut-off & Chime
- Removable Crumb Tray For Easy Cleaning
- Tray Provided
- Toast, Grill, Bake



POT-921

- 9.0L
- 800W
- 60-minutes Timer With Automatic Shut-off & Chime
- Adjustable Temperature Control
- 2 High Efficiency Quartz Elements
- Tray Provide
- Toast, Grill, Bake

OVEN



AE-11N

- 18L
- 1200W
- Heater Selector For Upper, Lower or Both
- 60-minutes Timer With Automatic Shut-off & Chime
- Adjustable Temperature Control with Indicator Light
- Tray, Tray Handle & Grid Iron Provided
- Toast, Grill, Bake



AE-200N

- 19L
- 1380W
- Heater Selector For Upper, Lower or Both
- 60-minutes Timer With Automatic Shut-off & Chime
- Adjustable Temperature Control with Indicator Light
- Tray, Tray Handle & Grid Iron Provided
- Toast, Grill, Bake



AE-350N

- 35L
- 1500W
- Heater Selector For Upper, Lower or Both
- With Rotisserie & Convection Function
- 60-minutes Timer With Automatic Shut-off & Chime
- Adjustable Temperature Control with Indicator Light
- Tray, Tray Handle, Grid Iron & Rotisserie Fork Provided
- Toast, Grill, Bake



AE-420N

- 42L
- 1800W
- Heater Selector For Upper, Lower or Both
- With Rotisserie & Convection Function
- 60-minutes Timer With Automatic Shut-off & Chime
- Adjustable Temperature Control with Indicator Light
- Tray, Tray Handle, Grid Iron & Rotisserie Fork Provided
- Toast, Grill, Bake

SLOW COOKER



PSC-82

- 0.6L • 65W
- Flowery Casing
- With Indicator Light



PSC-182

- 1.1L • L-60W • H-120W
- Flowery Casing
- With Indicator Light
- 3 Temperature Settings: Low/ High/ Auto



PSC-382

- 3.3L • L-110W • H-220W
- Flowery Casing
- With Indicator Light
- 3 Temperature Settings: Low/ High/ Auto



PSC-582

- 4.5L • L-130W • H-260W
- Flowery Casing
- With Indicator Light
- 3 Temperature Settings: Low/ High/ Auto



PSC-682

- 5.5L • L-160W • H-320W
- Flowery Casing
- With Indicator Light
- 3 Temperature Settings: Low/ High/ Auto

RICE COOKER



PSR-17L

- 1.8L • 700W-832W
- 5-8 Persons
- Keep Warm Function
- Cool-touch Housing
- Non-stick Inner Pot
- With Dew Collector
- Detachable Power Cord
- Accessories: Steaming Tray, Rice Scoop, Measuring Cup



PSR-22C

- 2.2L • 700W
- 9-12 Persons
- Keep Warm Function
- Cool-touch Housing
- Non-stick Inner Pot
- With Dew Collector
- Detachable Power Cord
- Accessories: Steaming Tray, Rice Scoop, Measuring Cup



PRC-6G/ 10G/ 12G/ 18G/ 25G/ 36G

- Keep Warm Function • Aluminium Inner Pot • Built-In Thermal Fuse

Model	PRC-6G	PRC-10G	PRC-12G	PRC-18G	PRC-25G	PRC-36G
Wattage	300W	400W	500W	700W	900W	1350W
Capacity	0.6L	1.0L	1.2L	1.8L	2.5L	3.6L
Persons	1-2	3-4	5-6	7-8	9-12	13-15
With Steam Tray	•	•	•	•	•	•

GAS RICE COOKER



PGR-888N

- 1.1L • 60 Persons
- Auto Ignition System
- Fully Automatic • For LPG Use
- See-through Glass & Stainless Steel Lid



PGR-899N

- 1.4L • 80 Persons
- Auto Ignition System
- Fully Automatic • For LPG Use
- See-through Glass & Stainless Steel Lid



PRC-6E/ 11E/ 15E/ 18E/ 28E

- Keep Warm Function • See-through Glass Lid • Built-In Thermal Fuse

Model	PRC-6E	PRC-11E	PRC-15E	PRC-18E	PRC-28E
Wattage	300W	400W	500W	700W	1000W
Capacity	0.6L	1.0L	1.5L	1.8L	2.8L
Persons	1-2	3-4	5-6	7-8	9-12
Non-stick Inner Pot	•	•	•	•	•
Aluminium Inner Pot					•



"Inspire your culinary creativity"

Chef Ismail
Dato' Chef Ismail



chef's like

Chef Ismail is originated from a small Malay village in Negeri Sembilan, Chef Ismail was introduced to cooking by his grandmother, an avid food lover and cook. Chef Ismail discovered his passion in trying out the herbs and spices and fresh produce from orchards which were growing in abundance around him. Looking back, Chef Ismail recalls that helping his grandmother in kitchen has certainly helped to pave his career way in kitchen.

Chef Ismail, Malaysia's Food Ambassador and celebrity Chef, is famous for his preparation of local dishes and for his expertise in preparing international dishes. He is often invited overseas to promote local dishes through cooking demonstrations.

Chef Ismail is not just an ordinary chef as many of us who are familiar with his cooking shows featured on television will agree. There's always something about his style and on-the-screen charisma that sets him apart from the rest.

On top of that, Chef Ismail is also the brand ambassador of Pensonic since 2005, promoting intelligent household kitchen appliances that can help to make cooking a pleasurable experience

The kitchen is the heart of every home. It is a place to meet and eat, and to get creative. There is nothing like a glass of refreshing fruit juice and a table of sumptuous meal sharing with your family, especially in the comfort of your own house. A mouth watering meal is always incomplete without a set of cooking appliances.

Pensonic's Chef's Like products are designed to make life in the kitchen a daily pleasure for you. Anticipate all your needs and desires, style and versatility. Whether you are a busy kitchen-mom who's always on the go, a budding Celebrity Chef in the making or a dinner party host, Chef's Like products are your perfect kitchen partner.



PB-801

- 1.0L
- 250W
- 2-Speed With Pulse With Stirrer
- Powerful Motor
- Stainless Steel Blade
- Dual Safety Function
- Mill Attachment



PSM-161

- 750W
- 3 Steamer Container
- Indicator Light
- 1.4L Rice Bowl
- With Egg Rack
- Window with Water Refill Capability
- 60-minute Timer with Auto Shut Off & Chime



PM-214

- 220W
- 5-Speed for All Mixing Needs
- Positive Beater Lock
- Light Weight for Comfort Handling
- Turbo Power
- Swivel Bowl for Even Mixing



PSR-17N

- 1.8L • 700W
- 5-8 Persons
- Keep Warm Function
- Cool-touch Housing
- Non-stick Inner Pot
- With Dew Collector
- Detachable Power Cord
- Accessories: Steaming Tray, Rice Scoop, Measuring Cup



AE-19N

- 19L
- 1380W
- Automatic Shut Off
- Heater Selector For Upper, Lower or Both
- 60-minutes Timer With Automatic Shut-off & Chime
- Adjustable Temperature Control with Indicator Light
- Tray, Tray Handle & Grid Iron Provided
- Toast, Grill, Bake



PMW-200

- 20L
- 1150 - 1280W
- Pull-handle Door
- Painted Cavity
- Manual Control
- Cooking 'End' Signal
- 6 Microwave Power Levels (Including Defrost)
- Cooking Timer: 0-30 Minutes




PMC-150G

- 5.0L
- 1300W
- With Grill Pan
- Adjustable Temperature Control
- Removable Non-stick Inner Pot
- With Tempered Glass Lid & Steam Tray
- Braising, Stir Frying, Deep Frying, Steamboat, Grilling

CHEF ROOM

your enjoyment



PBW-2501D



- Power: 1450W • 25L
- Digital Control
- 8 Auto-cooking Program
- Microwave • Grill • Defrost
- Aluminium Handle Door
- With Child Lock Function
- Product Dimension:
594W x 410D x 388H (mm)
- Cut Out Dimension:
568W x 500D x 382H (mm)



8 AUTO-COOK Program

ALUMINIUM Handle Door

AUTO Ignition

MULTI-COOKING Functions

MICROWAVE & GRILL DIGITAL Control

STYLISH Tempered Glass

CAST Iron Trivet

FINGERPRINT-PROOF Stainless Steel



PCH-613G

- 2 Burners Hob
- Safety Valve
- Tempered Glass
- Frame Output: 4KW
- Product Dimension:
780W x 460D (mm)



PBO-5601M

- Power: 3100W • 56L
- Fan Grilling • Full Grilling
- 7 Functions • Radiant Grilling
- Convectional Heat • Bottom Heat
- 3-layer Door Glass • Mechanical Controller
- Product Dimension:
595W x 573D x 595H (mm)
- Cut Out Dimension:
600W x 570D x 600H (mm)



PCH-614G

- 3 Burners Hob
- Safety Valve
- Tempered Glass
- Frame Output: 4KW (Centre): 1.2KW
- Product Dimension:
780W x 460D (mm)



PBO-5602D

- Power: 3100W • 56L
- Fan Grilling • Full Grilling
- 8 Functions • Radiant Grilling
- Convectional Heat • Bottom Heat
- LCD Display • Smart Touch
- 3-layer Door Glass
- Product Dimension:
595W x 573D x 595H (mm)
- Cut Out Dimension:
600W x 570D x 600H (mm)





PCH-805AS

- Power: 200W
- LED Light
- 3-Speed Smart Touch
- Suction Power: 900m³/h
- Steam Cleaning Function
- Product Dimension: 796W x 410D x 530H (mm)

- 1 Large surface of lampblack being filtered
- 2 Maximize filtration of soot and vapour
- 3 360° high pressure steam cleaning



LARGER
Capacity

POWERFUL
SUCTION
To Kill Odours

CHARCOAL
FILTER
To Eliminate
Impurities

EXTREMELY
Low noise

TIME
Saving

SMART
Temperature
Control

THOROUGH
Cleaning

PGH-801S

- Power: 222W • LED Light
- 3-Speed Electronic Button
- Suction Power: 1000m³/h
- Product Dimension: 900W x 500D x 910H (mm)



PCH-803G

- Power: 221W • LED Light
- 3-Speed Smart Touch
- Suction Power: 1000m³/h
- Product Dimension: 900W x 515D x 900H (mm)



PGH-802S

- Power: 221W • LED Light
- 3-Speed Smart Touch
- Suction Power: 1000m³/h
- Product Dimension: 900W x 515D x 900H (mm)



PCH-804G

- Power: 222W • LED Light
- 3-Speed Electronic Button
- Suction Power: 1000m³/h
- Product Dimension: 900W x 500D x 940H (mm)



DOUBLE BURNER GAS COOKER



PGC-12S

- 90 / 90mm
- Double Bee-hive Burner
- Stainless Steel Body
- Auto Ignition
- Durable Trivet



PGC-131S

- 130 / 130mm Cut Piece Brass Cap
- Stainless Steel Body
- Enamel Trivet



PGC-2140S

- 140 / 140mm • Auto Ignition
- Gas-saving Up To 25%
- Stainless Steel Body
- With 7 Jet Head-burner
- Enamel Trivet



PGC-2200G NEW

- 120 / 120mm
- Slim Glass-top
- 8mm Tempered Glass
- Cut Piece Brass Cap
- For LPG Use



PGC-22S NEW

- 100 / 100mm
- Stainless Steel Body
- Durable Trivet
- Double Bee-Hive Burner
- Auto Ignition



PGC-22N / 23N

- 100 / 100mm
- Epoxy Body
- Auto Ignition
- Double Bee-hive Burner
- Durable Trivet



PGC-53S

- 100 / 120mm
- Brass Cap
- Stainless Steel Body
- Auto Ignition
- Durable Trivet

COMMERCIAL STOVE



PGS-30C / 40C

- Dual Ring
- Auto Ignition

INFRARED GAS COOKER



PGC-165GI

- 165 / 165mm
- Glass Top Body
- Auto Ignition
- Durable Trivet



PGC-165SI

- 165 / 165mm
- Stainless Steel Body
- Auto Ignition
- Durable Trivet



PGC-2S

- 100mm
- Stainless Steel Body
- Single Trivet



PGC-9S

- 120mm Brass Cap
- Epoxy Body
- Enamel Trivet

BUILT-IN HOB



PGH-312S

- 2 Burners with Stainless Steel Top Plate
- Battery Operated Auto Ignition System
- Double Copper Cap Burner
- Inner Dim (mm): 628 x 358
- Durable Trivet



PGH-412N

- With Mirror Finishing
- Low Gas Consumption
- 2 Burners with Tempered Glass Top
- Battery Operated Auto Ignition System
- Inner Dim (mm): 630 x 345
- Durable Trivet



PGH-413N

- With Mirror Finishing
- 3 Burners with Tempered Glass Top
- Battery Operated Auto Ignition System
- Inner Dim (mm): 680 x 380
- Enamel Trivet



PGH-422N

- 2 Burners with Tempered Glass Top
- Battery Operated Auto Ignition System
- Inner Dim (mm): 630 x 345
- Durable Trivet



PGH-612N

- 2 Burners with Glass Top
- Flame Output: 3.8Kw (Left & Right)
- Battery Operated Auto Ignition System
- With Safety Valve
- Inner Dim (mm): 650 x 350
- Enamel Trivet

PORTABLE GAS COOKER



PGC-1

- Capacity: 220g
- Cylinder Gas For Portable Gas Cooker
- Lasts Up To 3 Hours



PGC-2002N

- 1.6kg
- Variable Flame Control
- Unique Gas Cartridge System With Liquid Guard & Refillable
- Dim (mm): 332L x 290W x 102H

COOKER HOOD



PCH-751S

- 180W • Twin Induction Motor
- Stainless Steel
- Super Suction Power
- Dual Whirlpool Facilities
- Easy Detachable & Cleaning Without Any Tool
- Exquisitely Streamlined
- Dim (mm): 895W x 530D x 125H
- Air Capacity: 780 (cbm/hr)



PCH-752BK / 752S

- Black/Stainless Steel
- 200W • Twin Induction Motor
- Stainless Steel (PCH-752S)
- Super Suction Power
- Dual Whirlpool Facilities
- Detachable Oil Cup for Dirty Grease Collection
- Exquisitely Streamlined
- Dim (mm): 895W x 517D x 100H
- Air Capacity: 785 (cbm/hr)



HOME COMFORT

WARM & COOL **02**

TABLE FAN



AF-30B

- 35W
- 3-Speed
- 12" (30cm)



PF-41A

- 50W
- 3-Speed
- 16" (40cm)



PF-41B

- 50W
- 3-Speed
- 16" (40cm)



PF-3100

- 50W
- 3-Speed
- 12" (30cm)



PF-4100

- 50W
- 3-Speed
- 16" (40cm)



PEX-6B/ 8B/ 10B/ 12B

- Low Noise
- Low Power Consumption
- Powerful Air Delivery
- With Condenser

Model	PEX-6B	PEX-8B	PEX-10B	PEX-12B
Size (inc.)	6"	8"	10"	12"
Size (cm)	15	20	25	30

STAND FAN



PSF-18

- 70W
- 3-Speed
- 18" (46cm)
- Wide Angle Automatic Swing
- 3 Slim Aerodynamic Blades
- Heavy Steering Base for Stability



PSF-360

- 60W
- 3-Speed
- 16" (40cm)
- With 360° Rotation & Up-Down Oscillation
- 2 Wind Modes: Normal & Rhythmic
- LCD Display with 8 Hours Timer
- 13-Angle Oscillating Mode : 0°, 30°, 60°, 90°, 120°, 150°, 180°, 210°, 240°, 270°, 300°, 330° and 360°
- With Remote Control & Memory Function



PSF-45

- 50W
- 3-Speed
- 16" (40cm)



PSF-4500

- 50W
- 3-Speed
- 16" (40cm)



PSF-45B

- 50W
- 3-Speed
- 16" (40cm)



PSF-4601 / PSF-4602R

- 50W
 - 3-Speed
 - 16" (40cm)
 - Special 4-in-1 Multi-Oscillating Function
 - Motor With Safety Fuse
- PSF-4602R**
- Rhythmic Mode
 - With Remote Control



PSF-60S

- 60W
- 16" (40cm)
- With LCD Display
- Ionizer Function
- Special 4-in-1 Multi-Oscillating Function
- With Remote Control
- Motor With Safety Fuse

INDUSTRIAL FAN



PFF-18B

- 70W • 18"
- 3-Speed Rotary Control
- 3 Metal Blades for Maximum Air Flow



PFF-18C

- 130W • 18"
- 3-Speed Rotary Control
- 3 Metal Blades for Maximum Air Flow



PFF-20B

- 200W • 20"
- 3-Speed Rotary Control
- 5 Metal Blades for Maximum Air Flow
- Spiral Guard

WALL FAN



PWF-48R

- 50W
- 3-Speed
- 16" (40cm)
- With Remote Control
- Random / Sleep Mode / Timer / Rhythm / Speed



PWF-48

- 50W
- 3-Speed
- 16" (40cm)



PWF-68

- 50W
- 3-Speed
- 16" (40cm)

最緊要是衫用

ONE to ONE exchange warranty



PSF-46A
16" Stand Fan

- 50W
- 3-Speed
- Strong Base & Motor
- Motor With Safety Fuse



**STRONG
MOTOR**



**STRONG
BASE**



**STRONG
BLADES**

BOLD

TO BE LONG

Penonic BOLD Fan comes with powerful motor, aided with huge fan blades and sturdy base, guarantee you a fanning experience like never before.

What's more, 1to1 exchange warranty within the first year is going to be too big a hit to be missed.



PF-45A
16" Table Fan

- 50W
- 3-Speed
- Heavy Base for Stability




PF-35A
12" Table Fan

- 35W
- 3-Speed
- Heavy Base for Stability



TOWER FAN



PTW-110

- 45W
- Height: 29"
- 3-Speed (1/2/3)
- Oscillating Function
- 2-hour Timer
- Push Button



PTW-200

- 45W
- Height: 40"
- 3-Speed (1/2/3)
- Wide Angle Automatic Swing
- Removable Rear Cover For Easy Cleaning
- 2-hours Timer
- Easy Operation Control Panel



PTW-200R

- 45W
- Height: 40"
- 3-Speed (1/2/3)
- Wide Angle Automatic Swing
- Removable Rear Cover For Easy Cleaning
- 7-hours Timer
- Multi-function With LED Indicator
- Natural Mode Function
- Multi-function Remote Control
- Easy Operation Soft Touch Control Panel



PTW-201RI

- 65W
- Height: 40.5"
- 3-Speed (1/2/3)
- 3 Wind Mode
- 90° Horizontal Oscillation
- 1, 2, 4, 8-Hours Timer Function
- Elegant Design with LED Display
- With Remote Control

NEW



PTW-202RI

- 65W
- Height: 40.5"
- 3-Speed (1/2/3)
- 3 Wind Mode
- 90° Horizontal Oscillation
- 1, 2, 4, 8-Hours Timer Function
- Elegant Design with LED Display
- With Remote Control

NEW



PTW-203RI

- 45W
- Height: 40"
- 3-Speed (1/2/3)
- Wide Angle Automatic Swing
- Removable Rear Cover For Easy Cleaning
- 2-hours Timer
- Easy Operation Control Panel

NEW

CEILING FAN



PCF-60B

- 85W
- 60" (150cm)
- Pure Copper Motor
- 5-Speed Regulator Control
- Double Ball Bearing

MIST FAN



NEW



AIR COOLER

PAC-101M

- Excellent Water Pump Sprinkling Cyclic System for Effective Humidity, Cool & Fresh Air
- 3 Fan Speed (Hi / Med / Low)
- Horizontal Auto-Swing & Manually-adjust Vertical Air Flow
- With Honeycomb Filter, Dust-proof Filter & Removable Water Tank
- 2 Ice Packs For Cooler Effect
- Mechanical Control Panel

PAC-320H / 321H

- 3-in-1 Combination Of Fan, Ultrasonic Mist, Humidifier & Ionizer
- 9-hour Timer
- With 4 Wheels, Easy to Move
- 3 Fan Speed (Hi / Mid / Low)
- 2.5L Water Tank
- Multi Function Remote Control & Colourful LED Display
- The Photocatalyst Function Can Break Down Harmful Distance In The Air & Inhibits Bacteria Growth

PAC-302HI

- 65W • 20L
- 3 Fan Speed (Hi / Mid / Low)
- 3 Wind Mode (Normal/ Natural/ Sleeping)
- Horizontal Auto-swing & Manually-adjust Vertical Air Flow
- With Remote Control
- With Honeycomb Filter & Dust Proof Filter
- 20L Large Capacity Water Tank
- 2 Ice Packs for Cooler Effect

PORTABLE AIR CONDITIONER

FRESH COOL

PPA-109 (1.0HP) / PPA-159 (1.5HP)

- Dehumidifier
- Timer Setting
- LED Display
- Vertical Auto Swing
- Sleep Mode & Memory Function
- No Installation Is Required
- Self Diagnosis Function



PSW/PCU-119/ 169/ 219/ 269

- Dehumidifier
- Vertical Auto Swing
- LED Display
- Turbo Cooling
- Sleep Mode & Memory Function
- Timer Setting & Self-Diagnosis Function
- Dry Anti-Mildew Design (PSW/PCU-269)
- New Defrost System (PSW/PCU-269)

AIR CONDITIONER

INDOOR

Model	PSW/PCU-119	PSW/PCU-169	PSW/PCU-219	PSW/PCU-269
British Thermal Unit (Btu/h)	9000	12000	18000	21000
Nett Weight (kg)	8	9	10	13
Gross Weight (kg)	10.5	12	13	17
Horse Power (HP)	1.0	1.5	2.0	2.5
Dim (WxDxH)/mm	730x 174x 255	790x 177x 265	845x 186x 275	940x 298x 200

INDOOR

Net Weight (kg)	25	30	41	48
Gross Weight (kg)	27.5	35	46	53
Dim (WxDxH)/mm	720x 310x 430	798x 320x 540	848x 320x 540	913x 680x 378

VACUUM CLEANER



PVC-2200

- 1220W • 1.5L
- Powerful Motor
- Bagless Cyclonic System
- Safety Valve
- Power Regulator
- Strong Suction Power
- Swivel Front Wheel



PVC-22B

- 1200W
- 3.0L
- Automatic Cord Rewinder System
- Dust Bag Full Indicator
- 5 Layer Filtration System
- Cord Length: 5.0M
- Foot Pedal For On/Off



PVC-25A

- 1200W • 2.0L
- Strong Suction Power • Powerful Motor
- Power Regulator • Swivel Front Wheel
- Safety Valve • Auto Cord Rewinder System
- Dust Bag Full Indicator
- 4-5 Filter System With Washable Filter
- Rubber Frame For Collision Prevention



PVC-31A

- 1600W • 2.5L
- High Motor Power Level
- Auto Cord Rewinder System
- Dust Bag Full Indicator
- 5 Layer Filtration System
- With Speed Control
- Swivel Front Wheel



PVC-210

- 1200W
- 32L
- Strong Blowing Function
- Washable Filter
- Dry/ Wet/ Blow Vacuum Cleaner
- Durable Plastic Blow Tank
- Powerful Suction For Waste Water



PVC-211

- 1200W
- 32L
- Strong Blowing Function
- Washable Filter
- Dry/ Wet/ Blow Vacuum Cleaner
- Durable Plastic Blow Tank
- Powerful Suction For Waste Water

INSECT KILLER



PIK-11

- 15W
- Safe & Natural Way to Trap Mosquito
- Chemical Free - Non Poison & Odourless
- Quiet & Reliable DC Fan
 - Low Power Consumption 15W
- Built-in Funnel to Prevent Mosquito Escape
- Dumet UV Light with Reliable/Stable Wave Length
- Photo Sensor to Switch On/Off
- Effective Area: 60M²



PIK-22

- 15W
- Safe & Natural Way to Trap Mosquito
- Chemical Free - Non Poison & Odourless
- Quiet & Reliable DC Fan
 - Low Power Consumption 15W
- Built-in Funnel to Prevent Mosquito Escape
- Dumet UV Light with Reliable/Stable Wave Length
- Effective Area: 60M²

WATER HEATER



PWH-800E

- Splash Proof Casing
- Better Heat Up Efficiency
- Triple Safety Device, For Your Ultimate Protection
- Stylish 5-Spray Pattern Handshower
- Electronic Variable Power Temperature Control
- Suitable For HIGH & LOW Water Pressure
- Quarter Turn, Easy Operated Stop Valve



PWH-867E / 867EP




PWH-900E / 900EP

Slim & Elegant Design

PWH-867E / 867EP / 900E / 900EP

- Asia's 1st Immersed Thermostat System
- Stylish 5-Spray Pattern Hand Shower
- Suitable For HIGH & LOW Water Pressure
- Built-In Booster Pump (867EP / 900EP)
- Anti Leak Plastic Tank
- Electronic Variable Power Temperature Control
- 3-in-1 Compact Stop, Flow & Filter Valve Design
- UL Approved Highly Reliable Heating Element
- Triple Safety Device:
 - Built-In Highly Sensitive Electronic ELCB, Prevents Electrocutation & Protect from Lightning
 - Built-In Auto Flow Switch, to Prevents Overheating
 - Anti-Scalding 55° Automatic Thermal Cut Out



LAUNDRY HELPMATE

WASH & CLEAN **03**

STEAM / SPRAY IRON



PI-850

- 1000W-1200W
- Indicator Light
- Adjustable Temperature Control Knob
- Non-Stick Coating Soleplate
- Variable Temperature Control



PSI-890

- 1000W-1200W
- Spray Function
- Indicator Light
- Adjustable Temperature Control Knob
- Non-Stick Coating Soleplate
- Variable Temperature Control



PSI-1005

- 1890W-2250W
- Variable Steam Control
- Adjustable Temperature Control Knob For All Kinds Of Textile
- Steam Spray & Steam-Shot
- Dry Function Knob
- Spray Button
- Non-Stick Teflon Coating Soleplate
- Translucent Water Level Indicator
- Self-Clean Function



PSI-1006

- 1800W-2200W
- Self-Clean Function
- Adjustable Temperature Control Knob For All Kinds Of Textile
- Steam Spray & Steam-Shot
- Dry Function Knob
- Spray Button
- Non-Stick Teflon Coating Soleplate
- Translucent Water Level Indicator
- Variable Steam Control

VERTICAL STEAM IRON

PVS-1

- 1370 - 1630W
- Adjustable Temperature Control Knob For All Kinds Of Textile
- Non-Stick Teflon Coating
- See Through Water Tank 2600cc
- Quick 1 Minute Heat Up Time (1500W)
- Convenient Swivel Garment Hanger
- Water Depletion Alarm
- Energy Saving Function
 - A. 5 Minute of Non-Movement : Working / Voltage Will Decrease by Half
 - B. 7 Minute of Non-Movement : Auto-Off



DRY IRON



PI-500

- 1200W
- 1.8kg
- Pilot Light Indicator
- Adjustable Temperature Control Knob For All Kinds Of Textile



PI-600

- 1200W
- 1.8kg
- Pilot Light Indicator
- Adjustable Temperature Control Knob For All Kinds Of Textile
- Non-Stick Teflon Coating

WASHING MACHINE



NEW

5 YEARS MOTOR WARRANTY
2 YEARS CHASSIS WARRANTY

PWA-1251

- 400W • 12.0kg
- Full Plastic Body Free From Rust
- Stainless Steel Inner Tub
- LED Display • Dynamic Soak
- Child Lock • Error Code Alarm
- 4 Wash Program Select/ Energy Saving
- 4 Water Level Control
- 1-24 Hours Delay Start



NEW

5 YEARS MOTOR WARRANTY
2 YEARS CHASSIS WARRANTY

PWA-1551

- 480W • 15.0kg
- Full Plastic Body Free From Rust
- Stainless Steel Inner Tub
- LED Display • Dynamic Soak
- Child Lock • Error Code Alarm
- 6 Wash Program Select/ Energy Saving
- 8 Water Level Control
- 1-24 Hours Delay Start



5 YEARS MOTOR WARRANTY
2 YEARS CHASSIS WARRANTY

PWA-655A

- 300W • 6.0kg
- Full Plastic Body Free From Rust
- Stainless Steel Inner Tub
- LED Display • Dynamic Soak
- Child Lock • Error Code Alarm
- 5 Wash Program Select/ Energy Saving
- 8 Water Level Control
- 1-24 Hours Delay Start



NEW

5 YEARS MOTOR WARRANTY
2 YEARS CHASSIS WARRANTY

- PWA-7351 • 330W • 7.3kg
- PWA-8051 • 350W • 8.0kg
- PWA-8551 • 400W • 8.5kg

- Full Plastic Body Free From Rust
- Stainless Steel Inner Tub
- LED Display • Dynamic Soak
- Child Lock • Error Code Alarm
- 6 Wash Program Select/ Energy Saving
- 8 Water Level Control
- 1-24 Hours Delay Start



NEW

PWA-6501F

- 6.5kg
- 15 Degree Tilt Open Drum Washing Machine
- Maximum Spin Speed - 1100 Rpm
- DIY Program & Memory
- 8 Wash Programs
- Anti-foam Control
- Childlock Function



NEW

- PWS-9002 • 9.0kg
- PWS-1102 • 11.0kg

- Semi-Auto
- Anti-Pest Design (Rat)
- Plastic Body Free From Rust
- Elegance Glass Top
- Spin Dryer Safety Function:
 - Spinning Stop Automatically When Lid Is Inadvertently Opened
 - Water Inlet Selection



NEW

- PWS-1302 • 13.0kg

- Semi-Auto
- Anti-Pest Design (Rat)
- Plastic Body Free From Rust
- Elegance Glass Top
- Spin Dryer Safety Function:
 - Spinning Stop Automatically When Lid Is Inadvertently Opened
 - Water Inlet Selection



PWS-6002

- 6.0kg
- Semi-Auto
- Anti-Pest Design (Rat)
- Plastic Body Free From Rust
- Elegance Glass Top
- Spin Dryer Safety Function:
 - Spinning Stop Automatically When Lid Is Inadvertently Opened
 - Water Inlet Selection



PWS-654A

- 6.0kg
- Semi-Auto
- Anti-Pest Design (Rat)
- Plastic Body Free From Rust
- Elegance Glass Top
- Spin Dryer Safety Function:
 - Spinning Stop Automatically When Lid Is Inadvertently Opened
 - Water Inlet Selection
 - Magic Cleaning Filter



PWS-8001A

- 8.0kg
- Easy-to-operate Control Pane
- Modern & Stylish Design
- Full Plastic Body
- Double Water Inlet



PWS-9001A

- 9.5kg
- Semi-Auto
- Easy-to-operate Control Pane
- Modern & Stylish Design
- Full Plastic Body
- Double Water Inlet



BEAUTY CARE

STYLE & CHARM **04**

amberchia
mesmerized by
PENSONIC

Amber Chia
Amber Chia
Pensonic Friend





PHD-1100

Power : 1470-1600W

Voltage : 230-240V ~ 50/60Hz

• 2 Speeds

Optimal control for all hair types and textures

• Cool Shot Function

Set and style your hair with ease

• Small & Light Weight

Easy-carry and ideal for traveling



PHD-1101

Power : 1400W

Voltage : 220-240V ~ 50/60Hz

• 2 Speeds

Optimal control for all hair types and textures

• Cool Shot Function

Set and style your hair with ease and add shine

• Ionic Function

Protect hair from harmful static charge

• Small & Light Weight

Easily carried and ideal for traveling



PHD-2100

Power : 1800-2000W

Voltage : 230-240V ~ 50/60Hz

• 2 Speed & 3 Heat Settings

Optimal control for all hair types and textures

• Cool Shot Function

Set and style your hair with ease and add shine

• Useful Hair Accessories

Slim nozzle and diffuser for wavy hair style

• Easy Cleaning

Detachable end cap for cleaning convenience

• Two Ways Handling

Adjustable angle for optimal handling comfort

• Low Noise

Quiet operation eliminates all the irksome noise



PHD-2000P

Power : 1800W

Voltage : 220-240V ~ 50/60Hz

• 2 Speed & 3 Heat Settings

Optimal control for all hair types and textures

• Cool Shot Function

Set and style your hair with ease and add shine

• Heat Balance Technology

Even heat distribution for efficient drying

• Complete Set of Accessories

Comes with nozzle, comb and diffuser to accommodate your different hairstyles

• Constant Temperature

Advanced fan technology delivers airstreams for quick drying



PHD-2200P

Power : 2000-2200W

Voltage : 230-240V ~ 50/60Hz

• 2 Speed & 3 Heat Settings

Optimal control for all hair types and textures

• Cool Shot Function

Set and style your hair with ease and add shine

• AC Motor

More durable and longer life span

• Easy Cleaning

Detachable end cap for cleaning convenience

• With Accessories

Ultra slim nozzle and diffuser for wavy hair style

• Ionic Function

Protect hair from harmful static charge



PHS-CS300

Power : 62W

Voltage : 220-240V ~ 50/60Hz

• PTC Heater

Constant heat for excellent hair protection

• Maximum Temperature 230°C

Heats up to 230°C for salon quality performance on the go

• Power ON Light Indicator

Shows the status of operation

• 360° Turnable Cord

Good handling and easy storage

• Barrel Locking

Switch between curler and straightener with just a single locking

• Ceramic Coating On Barrel

Reduce hair damage for soft and shiny hair



PHD-1000F

- 1000W
- Overheat Auto Shut Off Device
- 2-speed Selection
- 'Cool Shot' To Freeze Style
- Quiet Design
- Constant Temperature For Healthy Hair Care
- Heat Balance Technology
- Foldable Handle
- Detachable Concentrator



PHD-1001F

- 850W
- Overheat Auto Shut Off Device
- 2-speed Selection
- Quiet Design
- Constant Temperature For Healthy Hair Care
- Heat Balance Technology
- Foldable Handle
- Detachable Concentrator




PHD-2001

- 2000W
- 3-Heat
- Over-heat Auto Shut Off Device
- 2-Speed Selection
- Hang-up Hook
- 'Cool Shot' To Freeze Style
- Removable Concentrator & Diffuser
- Removable Filter Cover For Easy Cleaning



PHD-2002

- 1800W
- 2-Heat
- Over-heat Auto Shut Off Device
- 2-Speed Selection
- Hang-up Hook
- 'Cool Shot' To Freeze Style
- Removable Concentrator & Diffuser
- Removable Filter Cover For Easy Cleaning



REFRIGERATION

CHILL & FREEZE **05**

FREEZER



PFZ-150N

- Corrosion Resistant Cabinet
- Concealed High Efficiency Compressor
- With Indicator Light
- With Rollers • Low Energy Consumption
- Space Saving • Built-in Lock
- No External Condensation
- Drain Plug & Drain Hose

Model	Capacity	Ext.Dim.(mm) Wx Lx H
PFZ-150N	150L	621 x 812 x 705



PFZ-209GL / 309GL

- Corrosion Resistant Cabinet
- Concealed High Efficiency Compressor
- With Indicator Light
- With Rollers • Low Energy Consumption
- Space Saving • Built-in Lock
- No External Condensation
- Drain Plug & Drain Hose
- With Sliding Glass Lid

Model	Capacity	Ext.Dim.(mm) Wx Lx H
PFZ-209GL	173L	612 x 812 x 780
PFZ-309GL	250L	652 x 1042 x 780



PFZ-233F / 343F / 453F / 563F

- Corrosion Resistant Cabinet
- Concealed High Efficiency Compressor
- With Indicator Light
- With Rollers • Low Energy Consumption
- Space Saving • Built-in Lock
- No External Condensation
- Drain Plug & Drain Hose

Model	Capacity	Ext.Dim.(mm) Wx Lx H
PFZ-233F	200L	695 x 760 x 922
PFZ-343F	300L	695 x 1030 x 922
PFZ-453F	400L	695 x 1300 x 922
PFZ-563F	500L	695 x 1655 x 922



PFZ-108N

- Direct Cooling
- Built-in Lock
- Concealed High Efficiency Compressor
- Corrosion Resistant Cabinet
- Low Energy Consumption
- With Water Drainage & Plug-in Hole

Model	Capacity	Ext.Dim.(mm) Wx Lx H
PFZ-108N	108L	600 x 500 x 932



PFZ-208N

- Direct Cooling
- Built-in Lock
- Concealed High Efficiency Compressor
- Corrosion Resistant Cabinet
- Low Energy Consumption
- With Water Drainage & Plug-in Hole

Model	Capacity	Ext.Dim.(mm) Wx Lx H
PFZ-208N	208L	585 x 928 x 935



PFZ-203C / 253C

- Corrosion Resistant Cabinet
- Concealed High Efficiency Compressor
- With Indicator Light
- With Rollers • Low Energy Consumption
- Space Saving • Built-in Lock
- No External Condensation
- Drain Plug & Drain Hose
- With Sliding Glass Lid

Model	Capacity	Ext.Dim.(mm) Wx Lx H
PFZ-203C	200L	576 x 925 x 850
PFZ-253C	250L	576 x 1080 x 850



STAND COOLER

PC-410GL(N)

- Freezer Temp: 0°C-4°C
- Refrigerator Temp: 0°C
- Double Layer Tempered Glass Door For Anti-condensation
- Low Energy Consumption
- Ext. Dim.(mm): 585W x 610L x 1270H



REFRIGERATOR

PMF-65

- Freezer Temp: -1°C- 1°C
- Refrigerator Temp: 0°C-10°C
- Gross Weight: 18kg
- Corrosion Resistant Cabinet
- Low Energy Consumption
- Space Saving
- Adjustable Feet
- Ext. Dim.(mm): 472W x 450L x 492H



AUDIO VISUAL

SEE & HEAR **06**

CD PLAYER



PCD-810 CD / CD-RW PLAYER

- AC/DC Operation
- LED Display
- AM/FM Stereo Radio
- FM Mono/Stereo Selector
- Auto Stop Mechanism
- Analogue Tuning
- Single Cassette Recorder
- Automatic Cassette Recording Level Control
- Uses 6pcs "UMI/C" Batteries



PCD-850 CD / CD-RW PLAYER

- Analogue Tuning
- LED Display
- Stereo/Mono Selector
- Rotary Volume Control
- 6 Keys Single Cassette Recording: Record, Play, Forward, Rewind, Stop/Eject, Pause



PCD-901 DVD/ VCD/ CD/ MP3/ MP4 PLAYER

- AC/DC Operation
- LED Display
- USB/SD Card Reader
- AM/FM Tuner
- Bass Boost System
- Built-in Microphone
- Cassette Player
- Uses 8pcs "UM-2" Batteries



PCD-960M CD/MP3 PLAYER

- AC/DC Operation
- USB/SD Card Reader
- AM/FM Stereo Radio
- LCD Display with Backlight
- Stereo/Mono Selector
- Rotary Volume Control
- 6 Keys Single Cassette Recording: Record, Play, Forward, Rewind, Stop/Eject, Pause

PORTABLE RADIO



PPR-01

- AC/DC 6V Operation
- Built-in Rechargeable Battery
- 10-15 Hours Continuous Work For Radio With Single Charge
- 2 Hours Continuous Work For USB/SD With Single Charge
- With Remote Control
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB/SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply/Charging)



PPR-02

- DC 5V
- Blinking Blue Backlight
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB/SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply/Charging)



PPR-03

- DC 5V
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB/SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply/Charging)



PPR-04

- DC 5V
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB/SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply/Charging)



PPR-05

- DC 5V
- With Remote Control
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB/SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply/Charging)



PPR-06

- DC 5V
- With Remote Control
- Rechargeable Battery - BL-5C
- Auto Scan FM Tuner (FM88 - 108MHz)
- USB/SD Input (max 8G)
- AUX Input Jack
- PC-USB Cable (Power Supply/Charging)

LED TV



PLED-2206

- AV Stereo • 2 AV In
- 1 YUV In • 1 AV Out
- 249 Present Programs
- NTSC Playback 3.58 / 4.43 Hyper Band Tuner
- PAL / BG System • Full Auto-Search
- Sleep Timer • With Remote Control
- USB Playback



PLED-2406

- AV Stereo • 2 AV In
- 1 YUV In • 1 AV Out
- 249 Present Programs
- NTSC Playback 3.58 / 4.43 Hyper Band Tuner
- PAL / BG System • Full Auto-Search
- Sleep Timer • With Remote Control
- USB Playback



PLED-2216

- AV Stereo • 2 AV In
- 1 YUV In • 1 AV Out
- 249 Present Programs
- NTSC Playback 3.58 / 4.43 Hyper Band Tuner
- PAL / BG System • Full Auto-Search
- Sleep Timer • With Remote Control
- USB Playback



PLED-2416

- AV Stereo • 2 AV In
- 1 YUV In • 1 AV Out
- 249 Present Programs
- NTSC Playback 3.58 / 4.43 Hyper Band Tuner
- PAL / BG System • Full Auto-Search
- Sleep Timer • With Remote Control
- USB Playback

DVD PLAYER



PDVD-8203

- SVCD / CD / PAL-NTSC
- Full Remote Control System
- Full Karaoke Function
- Multi Zone Code & Parental Lock
- 2.0ch Analog Audio Output
- CD-R / CD-RW / MPEG Decoder
- Support 32 Subtitles



PDVD-8204

- SVCD / CD / PAL-NTSC
- Full Remote Control System
- Full Karaoke Function
- Multi Zone Code & Parental Lock
- 2.0ch Analog Audio Output
- CD-R / CD-RW / MPEG Decoder
- Support 32 Subtitles



PDVD-9301RM

- DVCD/ SVCD/ VCD/ CD/ CD-R/ CD-RW/ DVD-RW/ AUTO TV/ PAL-NTSC/ DVD+RW JPEG/ KODAK Picture CD
- Full Remote Control System
- Full Karaoke Function with Digital Echo & 3D Effect
- RM / RMVB Compatible Digital Media Player
- Multi Zone Code & Parental Lock



PDVD-9302H

- DVCD/ VCD/ CD/ CD-R/ CD-RW/ DVD+R/ HD Mode/ DVD-RW/ KODAK Picture CD/ PAL-NTSC
- Full Remote Control System
- Full Karaoke Function
- Multi Zone Code & Parental Lock
- HDMI





LIGHTING

BRIGHT & GLOW **07**

Carinae LEDs

Your Star Tales



LED FACTS AT A GLANCE

Labeled as the light source of the future, cutting-edge research now shows a bright future for LED as the next generation of light source for general illumination, from homes to commercial applications. It offers effective, competitive and highly advantageous solutions for accustomed lighting applications.



Light Bulb

8W A19 E27 Bulb

Rated Power	8W
Body Size	ø60*H108 mm
Color Temperature	6000K ~ 6500K
Rated Voltage	220-240V AC/DC
Base	E27
Average Life	25,000hrs

OSRAM LED



Light Bulb

8W A19 E27 Bulb

Rated Power	8W
Body Size	ø55*H120 mm
Color Temperature	3000K ~ 5500K
Rated Voltage	220-240V AC/DC
Base	E27
Average Life	35,000hrs

Powered by LG Innotek
Dimmable *Compatible with certain dimmer only



Light Bulb

4W / 6W A19 E27 Bulb

Rated Power	4W / 6W
Body Size	ø60*H108 mm
Color Temperature	3000K ~ 5500K
Rated Voltage	220-240V
Base	E27
Average Life	25,000hrs



Spot Light

MR16 5W (CREE)

Rated Power	5W
Body Size	ø48.8*H52 mm
Color Temperature	3000K
Rated Voltage	12V
Base	GU 5.3
Average Life	35,000hrs

CREE Easy White LED

*Compatible with certain ballasts or transformers only



Spot Light

MR16 GU5.3 4W Spot Light

Rated Power	4W
Body Size	ø50*H48 mm
Color Temperature	3000K
Rated Voltage	12V AC/DC
Base	GU 5.3
Average Life	25,000hrs

*Compatible with certain ballasts or transformers only



Spot Light

MR16 GU10 4W Spot Light

Rated Power	4W
Body Size	ø50*H55 mm
Color Temperature	3000K
Rated Voltage	220-240 VAC
Base	GU 10
Average Life	25,000hrs

*Compatible with certain ballasts or transformers only

Dimmable
TOUCH CONTROL



PTL-100

- Voltage : 200-240V ~ 50/60Hz
- Power : 8W
- Color Temperature : 6000K
- Dimmable Touch Control
- 5 Brightness Dimmer
- USB Output : DC5.0
- With AC Adaptor



PTL-102

- Voltage : 200-240V ~ 50/60Hz
- Power : 5W
- Color Temperature : 5500K
- Foldable Design For Compact Storage
- Adjustable Design For Easy Directing Light
- ON/OFF Mechanical Control
- With AC Adaptor



PTL-101

- Voltage : 200-240V ~ 50/60Hz
- Power : 10W
- Color Temperature : 6000K
- Build-in Night Light
- Foldable Design For Compact Storage
- Adjustable Design For Easy Directing Light
- Touch ON/OFF Switch
- With AC Adaptor



PTL-103B

- Voltage : 200-240V ~ 50/60Hz
- Power : 4W
- Color Temperature : 5500K
- Stable Base With Flexible Arm
- For Easy Directing Light
- ON/OFF Easy Control

Light Blue Pink

"Lighten up your journey to the fantasy dreamland"

This attractive, retro inspired Solar Cube is ultra-portable, dependable, and is great for campsite, hanging up, or carried by handle when on the go. Compact and light, not only it provides ample illumination, it could be transformed into an audio player whereby you could easily play melodious music wherever you go.


Powered by solar energy, it is able to function as charge storage to recharge your smart phones, tablets or any other USB devices.

A fusion of portable audio and lighting in one mini compact solar kit, it has to be Carinae Solar Cube.



Compatible with Smartphones and Tablets

Mobility Convenience



4-Panels Selection of Light with Adjustable Brightness



Solar Cube PEL-40C

- Maximum Brightness : 60,000mcd
- Charging Time : 8 Hours (Solar) / 7 Hours (AC Adapter)
- Up To 88 Hours Of Illumination
- Battery Status Indicator
- 4-panels Selection Of Light With Adjustable Brightness
- Powerful Solar Panel For Quick Charging
- FM Radio, MP3 Player
- 32 High Intensity LED
- Compatible With Smart-phones & Tablets
- Mobile Phone Charging Function (USB-DC V5)



Powerful Solar Panel for Quick Charging

FM Radio, MP3 Player

32 High Intensity LED

PENSONIC Compact Fluorescent Light

STAR LIGHT

What is the better way to obtain the best lighting system while preserving the environment, and at the same time saving huge amount of money? The answer is switching from incandescent lights to Compact Fluorescent Light in your homes or offices.

Unlike the traditional incandescent, Compact Fluorescent allows you to save yourself a nice chunk of your hard-earned money while helping the rest of us by saving energy, conserving natural resources, decreasing air pollution, reducing acidrain, and slowing down the growth of global warming.



MULTIPURPOSE LIGHT PEL-3T

- 360° Light Distribution
- 3/2/1 Fluorescent Tube Function Selector
- Emergency Light
- Green LED Operate Indicator
- Red LED Charge Indicator
- 6V 4AH Sealed Lead-Acid Rechargeable Battery
- 3 x 10W Fluorescent Tube
- Charging Time: Approximately 18-20 Hours
- Operation Hours: 1.5-6 Hours
- Suitable for Camping, Fishing

 <p>PCFL-09U2CA PCFL-09U2WA • 9W</p> 	 <p>PCFL-11U3CA PCFL-11U3WA • 11W</p> 	 <p>PCFL-15U3CA PCFL-15U2WA • 15W</p> 	 <p>PCFL-18U3CA PCFL-18U3WA • 18W</p> 	 <p>PCFL-23U3CA PCFL-23U3WA • 23W</p> 	 <p>PCFL-23HSCA PCFL-23H5WA • 23W</p> 
--	--	--	--	---	--

- PCFL 09U2CA / 09U2WA
- PCFL 11U3CA / 11U3WA
- PCFL 15U3CA / 15U2WA
- PCFL 18U3CA / 18U3WA
- PCFL 23U3CA / 23U3WA
- PCFL 23HSCA / 23H5WA

- High Efficiency - 80% Energy Saving Over Standard Bulbs
- Instant Start
- Longer Lifespan - Last Up to 8000hrs
- Excellent Brightness
- CA - Cool Light ■ WA - Warm Light



GRAVITY | SPOT light



NEW

MR11 Spot Light

Model Number
BL-M11C-30002-2029 / 60002-2029

- Body Size : Ø35*H35 mm
- Rated Voltage : AC/DC 12V
- Base : GU4.0
- Beam Angle : 24° and above
- Average Life : 25,000hrs
- LED : Cree



MR16 5W Spot Light *

Model Number
PL-M16C-30005-2025 / 60005-2025

- Body Size : Ø48.8*H52 mm
- Rated Voltage : 12V
- Base : GU5.3
- Average Life : 25,000hrs
- LED : Cree EasyWhite

* Compatible with certain ballasts or transformers only



NEW

MR16 8W Spot Light With Driver

Model Number
PL-M16LD30008-2030 / 60008-2030

- Body Size : Ø49*H43 mm
- Rated Voltage : 240V AC
- Average Life : 25,000hrs



4" 10W DOWNLIGHT

Model Number
PL-DL4D-30010-2120 / 60010-2120

- Body Size : D130*H102 mm
- Rated Voltage : 240V AC
- Average Life : 25,000hrs



6" 13W DOWNLIGHT

Model Number
PL-DL6D-30010-2120 / 60010-2120

- Body Size : D130*H102 mm
- Rated Voltage : 240V AC
- Average Life : 25,000hrs



NEW

MR16 12W Spot Light System

Model Number
PL-M16ZD30012-2020 / 60012-2020

- Body Size : Ø85*H70 mm
- Rated Voltage : 240V AC
- Average Life : 25,000hrs



NEW

6" 12W Surface Mount Downlight

Model Number
PLWDL6D-30012-2090 / 60012-2090

- Body Size : D183*H100 mm
- CRI : >75 - 80
- Rated Voltage : 240V AC
- Average Life : 35,000hrs



6" 12W Surface Mount Downlight

Model Number
PLBDL6D-30012-2090
PLWDL6D-60012-2090

- Body Size : D183*H100 mm
- CRI : >75 - 80
- Rated Voltage : 240V AC
- Average Life : 35,000hrs



6" 23W Downlight Light

Model Number
SD-DL4C-30023-2065
SD-DL4C-50023-2065

- Body Size : D144*H113 mm
- CRI : >70-80
- Rated Voltage : 220-240V
- Average Life : 25,000hrs



NEW

6" 23W Downlight

Model Number
SD-DL6C-30023-2065 / 50023-2065

- Body Size : D144*H133 mm
- CRI : >70-85
- Rated Voltage : 240V/50Hz
- Average Life : 25,000hrs



NEW

8" 18W Downlight

Model Number
PL-DL8D-30018-2090 / 60018-2090

- Body Size : D227*H102 mm
- CRI : >75 - 80
- Rated Voltage : 240V AC
- Average Life : 35,000hrs



AR111 22W

Model Number
PL-AR1C-30022-2040 / 60022-2040

- Body Size : D120*H35 mm
- CRI : >75 - 80
- Rated Voltage : 240V AC
- Average Life : 25,000hrs
- LED : Cree



PAR30 13W Spot Light

Model Number
KP-P30C-30013-2024 / 60013-2024

- Body Size : 95 mm
- CRI : >70
- Rated Voltage : 100-240V AC
- Average Life : 25,000hrs



PAR38 18W Spot Light

Model Number
KP-P38C-30018-2024 / 60018-2024

- Body Size : 120 mm
- CRI : >70
- Rated Voltage : 100-240V AC
- Average Life : 25,000hrs

GRAVITY | SPOT light




Eco Tube

Model Number
PL-2T10D-30010-2120 / 60010-2120
PL-T10D-30020-2120 / 60020-2120

- Body Size : D30*L600 mm / D30*L1,200 mm
- Average Life : 25,000hrs
- Length Available : 2Ft / 4 Ft

* Available in Warm White and Cool White / Daylight.



LaserLite

Model Number
LH-LL4G-30018-2080 / 60018-2080

- Body Size : D66*L1190 mm
- Rated Power : 18W
- Average Life : 25,000hrs
- LED : LG Innotech



30W Flood Light

Model Number
PL-FLOC-30030-2040 / 60030-2040
PL-FLOC-30030-2060 / 60030-2060

- Beam Angle : 40° / 60°
- Average Life : 25,000hrs
- LED : Cree



50W Flood Light

Model Number
PL-FLOD-30050-20AS
PL-FLOD-60050-20AS

- Beam Angle : 90° / 110°
- Average Life : 25,000hrs
- LED : Dominant



50W Flood Light

Model Number
PL-FLOC-30050-2040 / PL-FLOC-60050-2040
PL-FLOC-30050-2060 / PL-FLOC-60050-2060

- Beam Angle : 40° / 60°
- Average Life : 25,000hrs
- LED : Cree



130W Flood Light

Model Number
PL-FLOC-60130-2110

- Beam Angle : 120 X 60°
- Average Life : 25,000hrs
- LED : Cree



130W Flood Light

Model Number
PL-FLOC-60130-2025

- Beam Angle : 25°
- Average Life : 25,000hrs
- LED : Cree



200W Flood Light

Model Number
PL-FLOC-30200-2010 / 60200-2010
PL-FLOC-30200-20AS / 60200-20AS

- Beam Angle : 10° / 140 X 84°
- Average Life : 25,000hrs
- LED : Cree



100W High Bay

Model Number
PL-HB0C-60100-2040
PL-HB0C-60100-2060

- Body Size : D250*H436mm
- Beam Angle : 40° / 60°
- CRI : >70
- LED : Cree



150W High Bay

Model Number
PL-HB0C-60150-2040
PL-HB0C-60150-2060

- Body Size : D250*H436mm
- Beam Angle : 40° / 60°
- CRI : >70
- LED : Cree



130W Street Light

Model Number
PL-SLOC-60120-20AS

- Dimensions : H100*W320*L550 mm
- Average Life : 25,000hrs
- LED : Cree



180W Street Light

Model Number
PL-SLOC-60180-20AS

- Dimensions : H100*W320*L730 mm
- Average Life : 25,000hrs
- LED : Cree

CLASSIC

SERIES

PCH-800S COOKER HOOD

- Air Capacity: 600cbm/h
- 3-Speed Control Button
- Total Power: 129W
- Halogen Power: 2 x 10W
- Stainless Steel & Tempered Glass
- Charcoal Filter • European Design
- Exhaust Plastic Pipe: 2 Meter
- Dim (mm): 895(L) x 475(W) x 965(H)
- Width: 900mm • Weight: 16 kg



PJ-69 JUICE EXTRACTOR

- 500W
- On/Off Switch
- With Fruit Tray
- With Juice & Pulp Container
- Wide Feeding Tube
- Stainless Steel Filter



PSM-127S STEAMER

- 800W
- Stainless Steel Housing
- Water Window With Side Water Refiller
- LED Backlight
- With Rice Bowl
- 60 Minutes Timer with Auto Shut Off & Chime



PST-940S SANDWICH TOASTER

- 700W
- Non-Stick Coating
- Durable Casing
- Cool Touch Housing
- Stand Upright for Easy Storage
- Cord Storage Compartment



PF-31S TABLE FAN

- 45W
- 12" (30cm)
- 4 Wider Metal Blades
- 3-Speed Rotary Control
- Heavy Base For Stability
- Wide Angle Automatic Swing
- Spider Fan Guard



PSF-46S STAND FAN

- 60W
- 16" (40cm)
- Height Adjustment
- 4 Wider Metal Blades
- 3-Speed Rotary Control
- Heavy Base For Stability
- Wide Angle Automatic Swing
- Spider Fan Guard



EMBELLISH THE BASIC

Add that extra touch of elegance to your living place with exceptional designed electrical home appliances. Pensonic's classic series of electrical home appliances have a perfect blend of traditional charm and modern sophistication that is treasured by antique collectors and contemporary enthusiasts alike. It is perfect for those who want to fill large spaces in their homes with interior adornment that is impressive with simple and understated design, which is the epitome of classic style.

What make our Classic Series so sleek and impressive are the inclusion of elegant lines and the integration of classy black finishing. Pensonic Classic Series with its timeless appeal and sophisticated look infuses a charming moment to your living place.

CHINA

5F, Block 16, Xiang Zhou Technology Industrial District, No 2372 Meihua Xi Road, XiangZhou, Zhuhai City, 519075 China
Tel.Fax (0756) 8525 922/933 / 2655 271

HONG KONG

Unit 1303, Wanchai Commercial Centre
194-204 Johnston Road, Hong Kong
Tel.Fax (852) 2727 0997 / 2758 5088

SINGAPORE

2 Leng Kee Road, #06-03 Thye Hong Centre,
Singapore 159086
Tel.Fax (65) 6472 6504 / 6475 9534

INDONESIA

Jl Kamal Muara VII, Sentra Industri Terpadu
Pantai Indah Kapuk Blok I/ 1 No. 28
14450 Jakarta Utara, Indonesia
Tel.Fax (6221) 5698 2889 / 5698 3100

BRUNEI

No. D1, Spg 396, Jln Jerudong,
Bangunan Perkasa 1, Kampung Sengkurong B,
Bq 1321, Brunei Darussalam
Tel.Fax (673)2611 918 / 2610 801

THAILAND

83/ 161-162 Moo 6, Soi Chinaket 2,
Ngamwongwan Rd. , Thungsonghong, Laksi,
Bangkok 10210, Thailand
Tel.Fax (622) 9545 281-3 / 5807 443

VIETNAM

299 Ton That Thuyet, Ward 1, District 4,
Ho Chi Minh City, Vietnam
Tel.Fax (848) 3945 3483 / 3945 3482

MYANMAR

No. 192, Bo Myat Htun ST
Pazuntaung Township Yangon, Myanmar
Tel. 009 593 1287 356

CAMBODIA

#436 Ceo, St. 163-360,
Sangkat Boeung Keng Kang 3,
Khan Chamkarmon, Phnom Penh, Cambodia
Tel.Fax (855) 1285 8888 / 2321 3128

PHILIPPINES

Unit 1, 131 Olympia Bldg. , Quirino Highway,
Baesa, Quezon City, Manila, Philippines, 1115
Tel.Fax (632) 334 1212

#606 Evangelista St. Qulapo Manila
Tel. 7357690 / 7332851
Email: g8marketinginc@yahoo.com

YEMEN

Taiz Street Sana'a Republic Of Yemen
Tel.Fax (9671) 609 798 / 444 752

LEBANON

Verdun-Bekaa Str-Zahraa, Bldg-3 Flr,
P. O. Box 155150 Beirut-Lebanon
Tel.Fax (961) 1817 681 / 1318 152

EGYPT

Usama Shahin St of Saad Zaglol St. , El Bar
Elsharkey Shlbin El Kom Menofa
POB 32514 Egypt
Tel.Fax (201) 0009 3033

PAPUA NEW GUINEA

Lot 1, Section 479, Kennedy Road, Gordon,
P. O. Box 3655 Boroko NCD, Papua New Guinea
Tel.Fax (675) 325 1122

EQUATORIALE GUINEA

Calle Ebebeyin
B. P: 177, Malabo, Equitoriale Guinea
Tel.Fax (204) 096 444

SRI LANKA

No. 579 Kandy Road,
Bulugaha Junction, Kelaniya, Sri Lanka
Tel.Fax (9411) 5544 344 / 5544 454

FIJI

Centerpoint 1, Ratu Dovi Road
GPO Box 14416 Suva Fiji
Tel.Fax (679) 339 3111 / 334 0255

BAHRAIN

P. O. Box 10887,
Manama, Bahrain
Tel.Fax (973) 1722 4220 / 1770 0043

SEYCHELLES

P.O.Box 1371, Victoria Mahe,
Seychelles
Tel.Fax (248) 323 680 / 324 724

SAUDI ARABIA

Homaidi Centre, Ateeqah Market
First Floor 0503167251 Sadiq
Near Ateeqah Bridge
11438 Riyadh Saudi Arabia
Tel.Fax (966) 1457 1111 / 1457 3835

JORDAN

P. O. Box 961057
Amman 11196, Jordan
Tel.Fax (962) 6515 3457 / 6516 0542

MALDIVES

S. Hithadhoo Ziyaarayalfannu Magu
Addu Atoli Maldives
Tel. Fax (998) 71262 3999

NAURU

P.O.Box 299
AIWO Nauru Central Pacific Islands
Tel.Fax (674) 444 3701 / 444 3916

LABUAN

Lot 7 & 8, Wisma Wong Po Lo
Batu Arang, P. O. Box 82182
87031 W. P Labuan
Tel.Fax (6-087) 4269 77 / 4259 77

Lot 4, 5 & 6, Wisma Wong Po Lo
Batu Arang, P. O. Box 82182
87031 W. P Labuan
Tel.Fax (6-087) 4239 77 / 4249 77





MALAYSIA
Pensonic Sales & Service Centre

PENSONIC
Your Enjoyment



PENANG HEAD OFFICE & SHOWROOM

Plot 98, Perusahaan Maju 8,
Bukit Tengah Industrial Park,
13600 Pral, PENANG
Tel.Fax (604) 5070 393 / 5073 825

PENANG CUSTOMER CARE CENTRE

16, Jln Sultan Azlan Shah,
11700 Gelugor, PENANG

PENANG

143-145, Perak Rd. , 10150 PENANG

JOHOR BAHRU

31, Jln Ros Merah Satu/ 1,
Tmn Johor Jaya, 81100 J. Bahru, JOHOR

KOTA BHARU

PT-621, Ground Floor, Batu 2 Jln Pengkalan
Chepa, 15400 Kota Bharu, KELANTAN

KUANTAN

No. A 141 & A 143, Ground Floor, Jln Wong
Ah Jang, 25100 Kuantan, PAHANG

KUALA LUMPUR SHOWROOM & CUSTOMER CARE CENTRE

Lot 11A, Jln 223 Sec 51A,
46100 Petaling Jaya,
SELANGOR DARUL EHSAN
Showroom
Tel.Fax (603) 7954 5200 / 7954 5705
Customer Care Centre
Tel.Fax (603) 7954 5221 / 7954 5706

IPOH

31, Laluan Perusahaan Kledang 9,
Kaw Perindustrian Chandan Raya,
31450 Menglembu, Ipoh, PERAK

MALACCA

385-C, Jalan Melor Utama,
Taman Peringgit Jaya,
75400 MALACCA

SABAH

Lot 4, Ground Floor,
Towering Industrial Centre,
88300 Penampang, K. Kinabalu, SABAH

SARAWAK

Lot 1186, Pending Industrial Estate,
Jln Gedung, 93450 Kuching, SARAWAK

LABUAN

Lot 7 & 8, Wisma Wong Wo Lo,
Batu Arang, P. O. Box 82182,
87031 W. P. LABUAN
Tel.Fax (6-087) 4269 77 / 4259 77



Please Call **1-800-881-770**

call this number for any enquiries

For Prompt After-Sales Service (For Malaysia Only)

* Operation Hours: Mon - Sat 8:30am - 5:30pm / Sunday & Public Holiday Closed

PENSONIC SALES & SERVICE SDN. BHD. (162419-M)

www.pensonic.com

